

2025 PRICE LIST

Valid until December 31, 2025



Contents

Micro, Semi-Micro Balances	03	Precision Bench Scales	30
Borealis BA Series	03	Platform Scales	30
Ion BM Series	04	FG-K Series	30
Semi-Micro and Analytical Balances	05	HV-C/-CP Series	32
Apollo GX-AE Series and GX-AEN	05	HW-C/-CP Series	33
Apollo GX-A and GX-AN Series	05	High Pressure Washdown Platform Scales	34
Apollo GF-A Series	06	SW Series	34
Galaxy HR-AZ Series	07	Washdown Platform Scales	34
Galaxy HR-A Series	07	HV-CWP Series	34
Phoenix GH Series	08	HW-CWP	35
Gemini GR Series	08	FG-CWP Series	35
Milligram and Toploader Precision Balances	09	SC Series	36
Apollo GX-A, GX-AN and GX-AWP	09	SE Series	36
Apollo GF-A, GF-AN and GF-AWP	10	Checkweighing Scales	37
GF-P Series	11	FS-i Series	37
MC Series	12	Counting Scales	37
FZ-i Series	13	GC Series	37
FX-iWP and FZ-iWP Series	14	HC-I Series	38
FX-i Series	15	HD Series	38
Portables and Compact Balances	16	FCi Series	39
EJ Series	16	FC-Si Series	39
EW-I Series	17	Platforms / Bases	40
EK-I Series	18	SB Series	40
Balance Accessories	19	Indicators	40
Environment Analyzer and Data Loggers	19	Washdown Indicators	44
High Capacity Balances	20	Production Weighing Systems	45
GF-M and GX-M	20	Load Cells	46
GX-L Series	21	Weighing Accessories and Adapters	47
Moisture Analyzers	22	Cables	49
M Series	22	Printers	50
Viscometers	23	Weighing Calibration Weights	51
SV Series	23	Flat Repair Rates	52
SV-A Series	24	Product Warranty / Terms and Conditions	53
RV Series	25	2025 MAP Pricing Schedule	54
Pipette Accuracy and Leak Testers	25		
Intrinsically Safe Balances and Scales	26		
EK-EP/AEP Series	26		
HW-CEP Series	26		
Compact Scales	27		
HL-i Series	27		
HT Series	27		
SJ Series	28		
Washdown Compact Scales	28		
HL-WP Series	28		
SK-WP Series	29		
SJ-WP Series	29		
SJ-WP-BT Series	29		

Laboratory Balances and Equipment

MICRO AND SEMI MICRO BALANCES

Borealis BA Series

- 5" color touch screen display makes operation a breeze.
- Internal calibration with Auto-Self Calibration feature to adjust for temperature variations ensuring consistent measurements.
- Industry leading 5-year A&D warranty.
- New LCD models provide lower priced alternative
- Automatic doors controlled by IR sensors allow for smooth and efficient access to the weighing chamber.
- All models come standard with an external ionizer to eliminate errors due to static electricity.
- Standard Bluetooth, RS232C, USB-A, USB-B and Ethernet communications allow for easy system integration.



Model Number	Description	Pan Size	List Price
BA-6TE	6.2 g x 0.001 mg with touch screen display, external ionizer and automatic doors	Ø 0.98"	\$21,500.00
BA-6E	6.2 g x 0.001 mg with LCD display, external ionizer and automatic doors	Ø 0.98"	\$17,500.00
BA-6DTE	2.1 g x 0.001 mg / 6.2 g x 0.01 mg with touch screen display, external ionizer and automatic doors	Ø 0.98"	\$19,995.00
BA-6DE	2.1 g x 0.001 mg / 6.2 g x 0.01 mg with LCD display, external ionizer and automatic doors	Ø 0.98"	\$15,995.00
BA-225TE	220 g x 0.01 mg with touch screen display, external ionizer and automatic doors	Ø 3.5"	\$9,955.00
BA-225	220 g x 0.01 mg with LCD display and automatic doors	Ø 3.5"	\$7,250.00
BA-225DTE	51 g x 0.01 mg / 220 g x 0.1 mg with touch screen display, external ionizer and automatic doors	Ø 3.5"	\$8,995.00
BA-225D	51 g x 0.01 mg / 220 g x 0.1 mg with touch screen display and automatic doors	Ø 3.5"	\$6,250.00
BA-125DTE	51 g x 0.01 mg / 120 g x 0.1 mg with touch screen display, external ionizer and automatic doors	Ø 3.5"	\$7,995.00
BA-125D	51 g x 0.01 mg / 120 g x 0.1 mg with LCD display and automatic doors	Ø 3.5"	\$5,500.00
AD-1671	Anti-Vibration Table (Slab)		\$1,620.00
AD-1672	Tabletop Breeze Break (27" wide x 28.5" high x 24 " deep - outer dimensions)		\$2,375.00
AD-1676	External Draft Enclosure		\$725.00
AD-1684	Electrostatic Field Meter		\$1,780.00
AD-1687	Weighing Environment Logger		\$1,120.00
AD-1688	Weighing Data Logger		\$370.00
AD-1689	Calibration Weight Tweezers (Pack of 5)		\$225.00
AD-1192	Compact Printer		\$555.00
AD-8127	Multi-Function Printer with LCD Display		\$1,040.00
AD-8920A	Universal Remote Display		\$325.00
AD-8922A	Remote Controller		\$775.00
AX-BAT-31	Protective in-use cover for BA touch screen (set of 5)		\$95.00
AX-BM-NEEDLESET	Electrode units for ionizer		\$125.00
KO:WW9-9	RS-232C cable (9p-9p, 2m)		\$50.00
SW:128	Foot Switch		\$100.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter		\$65.00

Ion BM Series

- Internal calibration with auto-self calibration feature to adjust for temperature variations.
- Built-in temperature, humidity, and atmospheric pressure sensors.
- Built-in fan-less ionizer.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
BM-5	5.2 g x 0.001 mg Micro Balance with RS-232C	Ø 0.98"	\$14,500.00
BM-5D	2.1g/5.2 g x 0.001 mg/0.01 mg Micro Balance with RS-232C	Ø 0.98"	\$12,950.00
BM-20	22 g x 0.001 mg Micro Balance with RS-232C	Ø 0.98"	\$15,500.00
BM-22	5.1 g / 22 g x 0.001 mg / 0.01 mg Micro Balance with RS-232C	Ø 0.98"	\$14,500.00
BM-252	250 g x 0.01 mg Semi-micro Balance with RS-232C	Ø 3.54"	\$6,350.00
BM-200	220 g x 0.1 mg Analytical Balance with RS-232C	Ø 3.54"	\$4,600.00
BM-300	320 g x 0.1 mg Analytical Balance with RS-232C	Ø 3.54"	\$5,200.00
BM-500	520 g x 0.1 mg Analytical Balance with RS-232C	Ø 3.54"	\$6,150.00
BM-08	Ethernet Option for BM		\$350.00
BM-14	Pipette Accuracy Testing Kit for BM Series		\$1,960.00
AD-1653	Density Determination Kit (for BM-252 / 200 / 300 / 500 only)		\$680.00
AD-1671	Anti-Vibration Table (Slab)		\$1,620.00
AD-1672	Tabletop Breeze Break (27" wide x 28.5" high x 24 " deep - outer dimensions)		\$2,375.00
AD-1676	BM External Draft Enclosure		\$725.00
AD-1682	Rechargeable Battery Pack (external)		\$825.00
AD-1684	Electrostatic Field Meter		\$1,780.00
AD-1687	Weighing Environment Logger		\$1,120.00
AD-1688	Weighing Data Logger (Standard with unit)		\$370.00
AD-1689	Calibration Weight Tweezers		\$225.00
AD-1192	Compact Printer		\$555.00
AD-8127	Multi-Function Printer with LCD Display		\$1,040.00
AD-8920A	Universal Remote Display		\$325.00
AD-8922A	Remote Controller (with display and keypad)		\$775.00
AX-BM-031	Display Covers (5 pcs)		\$65.00
AX-BM-NEEDLESET	Electrode units for BM's ionizer		\$125.00
KO:WW9-9	RS-232C cable (9p-9p, 2m)		\$50.00
SW:128	Foot Switch		\$100.00
AX-T-314A-S	External key plug		\$110.00
TB:648	AC Adapter (120V / 220V) - Standard with unit		\$50.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter		\$65.00
TB:648	AC Adapter (120V / 220V) - Standard with unit		\$50.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter		\$65.00

SEMI-MICRO AND ANALYTICAL BALANCES

Apollo GX-AE Series and GX-AEN NTEP models

- N models are Class I trade legal CoC 21-045.
- One-Touch internal calibration with built-in fan-less Ionizer.
- Advanced Weighing Technology Smart SHS weighing for faster performance.
- Solid construction: Full metal housing, Impact Shock Detection/overload protection, easy leveling with large LED illuminated level and large thumbwheel adjustment.
- Multi-functional Connectivity: USB & RS232 (9 pin) - Bluetooth accessory.
- Full GLP compliance, password protection, keylock, UFC for label printing.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
GX-124AE	120 g x 0.1 mg w/ USB & RS-232C, built-in static eliminator	Ø 3.6"	\$4,575.00
GX-124AEN	120 g x 0.1 mg w/ USB & RS-232C, built-in static eliminator, NTEP Class I, e = 0.001 g	Ø 3.6"	\$4,780.00
GX-224AE	220 g x 0.1 mg w/ USB & RS-232C, built-in static eliminator	Ø 3.6"	\$4,770.00
GX-224AEN	220 g x 0.1 mg w/ USB & RS-232C, built-in static eliminator, NTEP Class I, e = 0.001 g	Ø 3.6"	\$4,980.00
GX-324AE	320 g x 0.1 mg w/ USB & RS-232C, built-in static eliminator	Ø 3.6"	\$5,125.00
GX-324AEN	320 g x 0.1 mg w/ USB & RS-232C, built-in static eliminator, NTEP Class I, e = 0.001 g	Ø 3.6"	\$5,330.00

Apollo GX-A Series and GX-AN NTEP models

- N models are Class I trade legal CoC 21-045.
- One-Touch internal calibration. Advanced Smart SHS weighing for faster performance.
- Solid construction: Full metal housing, Impact Shock Detection/overload protection, easy leveling with large LED illuminated level and large thumbwheel adjustment.
- Multi-functional Connectivity: USB & RS232 (9 pin) - Bluetooth accessory.
- Full GLP compliance, password protection, keylock, UFC for label printing.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
GX-124A	120 g x 0.1 mg w/ USB & RS-232C	Ø 3.6"	\$3,160.00
GX-124AN	120 g x 0.1 mg w/ USB & RS-232C, NTEP Class I, e = 0.001 g	Ø 3.6"	\$3,365.00
GX-224A	220 g x 0.1 mg w/ USB & RS-232C	Ø 3.6"	\$3,510.00
GX-224AN	220 g x 0.1 mg w/ USB & RS-232C, NTEP Class I, e = 0.001 g	Ø 3.6"	\$3,720.00
GX-324A	320 g x 0.1 mg w/ USB & RS-232C	Ø 3.6"	\$3,920.00
GX-324AN	320 g x 0.1 mg w/ USB & RS-232C, NTEP Class I, e = 0.001 g	Ø 3.6"	\$4,125.00

Apollo GF-A Series

- External calibration. Advanced Smart SHS weighing for faster performance.
- Solid construction: Full metal housing, Impact Shock Detection/overload protection, easy leveling with large LED illuminated level and large thumbwheel adjustment.
- Multi-functional Connectivity: USB & RS232 (9 pin) - Bluetooth accessory.
- Full GLP compliance, password protection, keylock, UFC for label printing.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
GF-124A	120 g x 0.1 mg w/ USB & RS-232C	Ø 3.6"	\$2,705.00
GF-224A	220 g x 0.1 mg w/ USB & RS-232C	Ø 3.6"	\$3,045.00
GF-324A	320 g x 0.1 mg w/ USB & RS-232C	Ø 3.6"	\$3,600.00
GXA-03	Secondary RS232 Interface		\$280.00
GXA-04	Comparator relay output/buzzer/external key input interface		\$260.00
GXA-06	Analog Output; Factory Installed Only		\$260.00
GXA-09	Built-in rechargeable battery (factory-installed only)		\$545.00
GXA-10	Large Glass Breeze Break for GX-203/303/403/603/1003/1603 (8.2" / 21 cm high)		\$385.00
GXA-12	Animal Weighing Pan for models of 320 g capacity or higher		\$175.00
GXA-14	Density determination kit (for the 0.1 mg models only)		\$585.00
GXA-17	Large Glass Breeze Break with built in fanless ionizer and external IR switch		\$1,685.00
GXA-23-PRINT	External key input interface with the AX-SW137-PRINT foot switch		\$245.00
GXA-23-RZERO	External key input interface with the AX-SW137-REZERO foot switch		\$240.00
GXA-23-PLUG	External key input interface with the AX-T-314A-S plug		\$240.00
GXA-24	USB host interface (factory-installed only)		\$130.00
GXA-25	External fan less ionizer (static eliminator)		\$965.00
GXA-26	External IR switch		\$205.00
GXA-27	Bluetooth Interface		\$175.00
GXA-31-1EA	Protective In-Use Cover 1 each		\$30.00
GXA-31-5PK	Protective In-Use cover 5 pack		\$125.00
FXi-08	Ethernet Interface with WinCT-Plus software*		\$350.00
AD-1682	Rechargeable Battery Pack (external)		\$825.00
AD-8526-9	Ethernet Adapter D-Sub 9		\$640.00
AD-8920A	Universal Remote Display		\$325.00
AD-100-2	Anti-theft Device		\$95.00
SW:128	Foot Switch		\$100.00
TB:648	AC Adapter (120V / 220V) - Standard with unit		\$50.00
AD-8529PC-W	Bluetooth Converter for PC		\$520.00
AD-8529PR-W	Bluetooth Converter for Printer		\$520.00

Galaxy HR-AZ Series

- Internal calibration. Robust construction, fast compact SHS with 2 second response time.
- Robust die-cast aluminum base.
- Large breeze break with rotary sliding doors saves bench space.
- Reverse backlit LCD display for easy to read weighing results.
- Standard RS-232C, optional Plug & play connectivity with Quick USB interface.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
HR-100AZ	102 g x 0.1 mg with RS-232C	Ø 3.6"	\$2,485.00
HR-150AZ	152 g x 0.1 mg with RS-232C	Ø 3.6"	\$2,715.00
HR-250AZ	252 g x 0.1 mg with RS-232C	Ø 3.6"	\$2,880.00

Galaxy HR-A Series

- External calibration at the touch of a button.
- Robust die-cast aluminum base.
- Large breeze break with rotary sliding doors saves bench space.
- Reverse backlit LCD display for easy to read weighing results.
- Standard RS-232C, optional Plug & play connectivity with Quick USB interface.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
HR-100A	102 g x 0.1 mg with RS-232C	Ø 3.6"	\$1,995.00
HR-150A	152 g x 0.1 mg with RS-232C	Ø 3.6"	\$2,220.00
HR-250A	252 g x 0.1 mg with RS-232C	Ø 3.6"	\$2,425.00
FXi-02	USB Interface with cable (Uni-directional)*		\$110.00
FXi-08	Ethernet Interface with WinCT-Plus software*		\$350.00
FXi-09	Built-in Rechargeable Battery*		\$390.00
AD-100-2	Anti-Theft Device		\$95.00
AD-1654	Density Determination Kit		\$965.00
AD-1683A	Static Eliminator		\$1,445.00
AD-1684A	Electrostatic Field Meter		\$1,895.00
AD-1688	Weighing Data Logger		\$370.00
AD-1689	Calibration Weight Tweezers		\$225.00
AD-8127	Multi-Function Printer with LCD Display		\$1,040.00
AD-1192	Compact Printer		\$555.00
AD-8526-9	Ethernet Adapter D-Sub 9 with WinCT Plus		\$640.00
AD-8920A	Universal Remote Display		\$325.00
AD-8922A	Remote Controller (with display and keypad)		\$775.00
AX:073009456	Protective Cover		\$20.00
TB:648	AC Adapter (120V / 220V) - Standard with unit		\$50.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter		\$65.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter		\$65.00

*Note: Options FXi-02, FXi-08 and FXi-09 can NOT be combined and are factory installed. Select only one.

Phoenix GH Series

- Classic Ordinal Electromagnetic sensor technology provides excellent accuracy and precision.
- One-touch automatic self-calibration with one push of the CAL key.
- Automatic adjustable environment settings.
- GLP, GMP and ISO compliant data memory function.
- Anti-static glass, RS-232C and auto power feature.
- Industry leading 5-year A&D Warranty.



Model Number	Description	Pan Size	List Price
GH-120	120 g x 0.1 mg with RS-232C	Ø 3.6"	\$4,185.00
GH-200	220 g x 0.1 mg with RS-232C	Ø 3.6"	\$4,740.00
GH-300	320 g x 0.1 mg with RS-232C	Ø 3.6"	\$5,575.00
GH-202	220/ 51 g x 0.1 / 0.01 mg Semi-micro with RS-232C	Ø 3.6"	\$6,270.00
GH-252	250 / 101 g x 0.1 / 0.01 mg Semi-micro with RS-232C	Ø 3.6"	\$6,900.00
GH-08	Ethernet Option for GH		\$350.00
AD-100-2	Anti-theft Device		\$95.00
AD-1653	Density Determination Kit		\$680.00
AD-1682	Rechargeable Battery Pack (external)		\$825.00
AD-8920A	Universal Remote Display		\$325.00
AD-8922A	Remote Controller (with display and keypad)		\$775.00
AD-1683A	Static Eliminator		\$1,445.00
AD-1689	Calibration Weight Tweezers		\$225.00
SW:128	Foot Switch		\$100.00
TB:648	AC Adapter (120V / 220V) - Standard with unit		\$50.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter		\$65.00

Gemini GR Series

- Fully automatic self-calibration with one push of the CAL key.
- Automatic adjustable environment settings.
- GLP compliant, large memory for weighing data.
- Small footprint - 30% smaller analytical balances.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
GR-120	120 g x 0.1 mg with RS-232C	Ø 3.3"	\$3,535.00
GR-200	210 g x 0.1 mg with RS-232C	Ø 3.3"	\$4,010.00
GR-300	310 g x 0.1 mg with RS-232C	Ø 3.3"	\$4,995.00
GR-202	42 g/210 g x 0.01 mg/0.1 mg Semi-micro w/ RS-232C	Ø 3.3"	\$5,680.00
AD-100-2	Anti-Theft Device		\$95.00
AD-1653	Density Determination Kit		\$680.00
AD-1682	Rechargeable Battery Pack (external)		\$825.00
AD-8920A	Universal Remote Display		\$325.00
AD-8922A	Remote Controller (with display and keypad)		\$775.00
AD-1683A	Static Eliminator		\$1,445.00
SW:128	Foot Switch		\$100.00
TB:648	AC Adapter (120V / 220V) - Standard with unit		\$50.00
AX-USB-2920-25P	USB to 25 pin RS-232 Converter		\$100.00

MILLIGRAM AND TOPLOADER PRECISION BALANCES

Apollo GX-A, GX-AN and GX-AWP

- Trade-legal: US NTEP CoC 21-045 with selectable $e = d$ or $e = 10d$.
- One-Touch internal calibration. Advanced Smart SHS weighing for faster performance.
- Solid construction: Full metal housing, Impact Shock Detection/overload protection, easy leveling with large LED illuminated level and large thumbwheel adjustment.
- Multi-functional connectivity with USB & RS232 (9 pin), Bluetooth accessory available.
- Full GLP compliance, password protection, keylock, UFC for label printing.
- WP models are IP65 rated against dust and water ingress.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
GX-203A	220 g x 0.001 g with Breeze Break (3.6" high)	5.0" x 5.0"	\$1,910.00
GX-203AN	220 g x 0.001 g with Breeze Break (3.6" high), NTEP Class II, $e = 0.01$ g	5.0" x 5.0"	\$1,960.00
GX-203AWP	220 g x 0.001 g with Breeze Break (3.6" high), IP65	5.0" x 5.0"	\$2,305.00
GX-303A	320 g x 0.001 g with Breeze Break (3.6" high)	5.0" x 5.0"	\$2,175.00
GX-303AN	320 g x 0.001 g with Breeze Break (3.6" high), NTEP Class II, $e = 0.01$ g	5.0" x 5.0"	\$2,225.00
GX-403A	420 g x 0.001 g with Breeze Break (3.6" high)	5.0" x 5.0"	\$2,305.00
GX-403AN	420 g x 0.001 g with Breeze Break (3.6" high), NTEP Class II, $e = 0.01$ g	5.0" x 5.0"	\$2,360.00
GX-403AWP	420 g x 0.001 g with Breeze Break (3.6" high), IP65	5.0" x 5.0"	\$2,655.00
GX-603A	620 g x 0.001 g with Breeze Break (3.6" high)	5.0" x 5.0"	\$3,010.00
GX-603AN	620 g x 0.001 g with Breeze Break (3.6" high), NTEP Class II, $e = 0.01$ g	5.0" x 5.0"	\$3,060.00
GX-603AWP	620 g x 0.001 g with Breeze Break (3.6" high), IP65	5.0" x 5.0"	\$3,335.00
GX-1003A	1100 g x 0.001 g with Breeze Break (3.6" high)	5.0" x 5.0"	\$3,470.00
GX-1603A	1620 g x 0.001 g with Breeze Break (3.6" high)	5.0" x 5.0"	\$3,945.00
GX-2002A	2200 g x 0.01 g	6.5" x 6.5"	\$2,175.00
GX-2002AN	2200 g x 0.01 g, NTEP Class II, $e = 0.1$ g	6.5" x 6.5"	\$2,225.00
GX-2002AWP	2200 g x 0.01 g, IP65	6.5" x 6.5"	\$2,615.00
GX-3002A	3200 g x 0.01 g	6.5" x 6.5"	\$2,585.00
GX-3002AN	3200 g x 0.01 g, NTEP Class II, $e = 0.1$ g	6.5" x 6.5"	\$2,635.00
GX-4002A	4200 g x 0.01 g	6.5" x 6.5"	\$2,705.00
GX-4002AN	4200 g x 0.01 g, NTEP Class II, $e = 0.1$ g	6.5" x 6.5"	\$2,755.00
GX-4002AWP	4200 g x 0.01 g, IP65	6.5" x 6.5"	\$3,045.00
GX-6002A	6200 g x 0.01 g	6.5" x 6.5"	\$3,170.00
GX-6002AN	6200 g x 0.01 g, NTEP Class II, $e = 0.1$ g	6.5" x 6.5"	\$3,225.00
GX-6002AWP	6200 g x 0.01 g, IP65	6.5" x 6.5"	\$3,490.00
GX-10002A	10200 g x 0.01 g	6.5" x 6.5"	\$4,260.00
GX-6001A	6200 g x 0.1 g	6.5" x 6.5"	\$2,410.00
GX-6001AWP	6200 g x 0.1 g, IP65	6.5" x 6.5"	\$2,760.00
GX-10001A	10200 g x 0.1 g	6.5" x 6.5"	\$2,375.00
GX-10001AN	10200 g x 0.1 g, NTEP Class II, $e = 1$ g	6.5" x 6.5"	\$2,425.00

Apollo GF-A, GF-AN and GF-AWP

- Trade-legal: US NTEP CoC 20-039A1 and MC CoC AM-6158 with selectable $e = d$ or $e = 10d$.
- External calibration. Advanced Smart SHS weighing for faster performance.
- Solid construction: Full metal housing, Impact Shock Detection/overload protection, easy leveling with large LED illuminated level and large thumbwheel adjustment.
- Multi-functional connectivity with USB & RS232 (9 pin), Bluetooth accessory available.
- Full GLP compliance, password protection, keylock, UFC for label printing.
- WP models are IP65 rated against dust and water ingress.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
GF-123A	120 g x 0.001 g with Breeze Break (3.6" high)	5.0" x 5.0"	\$1,405.00
GF-123AN	120 g x 0.001 g with Breeze Break (3.6" high), NTEP/MC Class II, $e = 0.01$ g	5.0" x 5.0"	\$1,500.00
GF-203A	220 g x 0.001 g with Breeze Break (3.6" high)	5.0" x 5.0"	\$1,590.00
GF-203AN	220 g x 0.001 g with Breeze Break (3.6" high), NTEP/MC Class II, $e = 0.01$ g	5.0" x 5.0"	\$1,645.00
GF-203AWP	220 g x 0.001 g with Breeze Break (3.6" high), IP65	5.0" x 5.0"	\$1,980.00
GF-303A	320 g x 0.001 g with Breeze Break (3.6" high)	5.0" x 5.0"	\$1,795.00
GF-303AN	320 g x 0.001 g with Breeze Break (3.6" high), NTEP/MC Class II, $e = 0.01$ g	5.0" x 5.0"	\$1,850.00
GF-403A	420 g x 0.001 g with Breeze Break (3.6" high)	5.0" x 5.0"	\$1,945.00
GF-403AN	420 g x 0.001 g with Breeze Break (3.6" high), NTEP/MC Class II, $e = 0.01$ g	5.0" x 5.0"	\$2,000.00
GF-403AWP	420 g x 0.001 g with Breeze Break (3.6" high), IP65	5.0" x 5.0"	\$2,310.00
GF-603A	620 g x 0.001 g with Breeze Break (3.6" high)	5.0" x 5.0"	\$2,290.00
GF-603AN	620 g x 0.001 g with Breeze Break (3.6" high), NTEP/MC Class II, $e = 0.01$ g	5.0" x 5.0"	\$2,345.00
GF-603AWP	620 g x 0.001 g with Breeze Break (3.6" high), IP65	5.0" x 5.0"	\$2,645.00
GF-1003A	1103 g x 0.001 g with Breeze Break (3.6" high)	5.0" x 5.0"	\$2,755.00
GF-1603A	1603 g x 0.001 g with Breeze Break (3.6" high)	5.0" x 5.0"	\$3,545.00
GF-1202A	1220 g x 0.01 g	6.5" x 6.5"	\$1,610.00
GF-1202AN	1220 g x 0.01 g, NTEP/MC Class II, $e = 0.1$ g	6.5" x 6.5"	\$1,665.00
GF-2002A	2200 g x 0.01 g	6.5" x 6.5"	\$1,655.00
GF-2002AN	2200 g x 0.01 g, NTEP/MC Class II, $e = 0.1$ g	6.5" x 6.5"	\$1,705.00
GF-2002AWP	2200 g x 0.01 g, IP65	6.5" x 6.5"	\$2,030.00
GF-3002A	3200 g x 0.01 g	6.5" x 6.5"	\$1,710.00
GF-3002AN	3200 g x 0.01 g, NTEP/MC Class II, $e = 0.1$ g	6.5" x 6.5"	\$1,760.00
GF-4002A	4200 g x 0.01 g	6.5" x 6.5"	\$2,195.00
GF-4002AN	4200 g x 0.01 g, NTEP/MC Class II, $e = 0.1$ g	6.5" x 6.5"	\$2,245.00
GF-4002AWP	4200 g x 0.01 g, IP65	6.5" x 6.5"	\$2,475.00
GF-6002A	6200 g x 0.01 g	6.5" x 6.5"	\$2,680.00
GF-6002AN	6200 g x 0.01 g, NTEP/MC Class II, $e = 0.1$ g	6.5" x 6.5"	\$2,735.00
GF-6002AWP	6200 g x 0.01 g, IP65	6.5" x 6.5"	\$3,020.00
GF-10002A	10200 g x 0.01 g	6.5" x 6.5"	\$3,305.00
GF-6001A	6200 g x 0.1 g	6.5" x 6.5"	\$1,825.00
GF-6001AN	6200 g x 0.1 g, NTEP/MC Class II, $e = 1$ g	6.5" x 6.5"	\$1,875.00
GF-6001AWP	6200 g x 0.1 g, IP65	6.5" x 6.5"	\$2,200.00
GF-10001A	10200 g x 0.1 g	6.5" x 6.5"	\$1,910.00
GF-10001AN	10200 g x 0.1 g, NTEP/MC Class II, $e = 1$ g	6.5" x 6.5"	\$1,960.00

Model Number	Description	Pan Size	List Price
Common GF-A and GX-A Options			
GXA-03	Secondary RS232 Interface (not AWP compatible)		\$280.00
GXA-04	Comparator relay output/buzzer/external key input interface (not AWP compatible)		\$260.00
GXA-06	Analog Output; Factory Installed Only (not AWP compatible)		\$260.00
GXA-09	Built-in rechargeable battery (factory-installed only)		\$545.00
GXA-10	Large Glass Breeze Break for GX-203/303/403/603/1003/1603 (8.2" / 21 cm high)		\$385.00
GXA-12	Animal Weighing Pan for models of 320 g capacity or higher		\$175.00
GXA-13	Density determination kit (for the 1 mg models only)		\$595.00
GXA-17	Large Glass Breeze Break with built in fanless ionizer and external IR switch (not AWP compatible)		\$1,685.00
GXA-23-PRINT	External key input interface with the AX-SW137-PRINT foot switch (not AWP compatible)		\$245.00
GXA-23-RZERO	External key input interface with the AX-SW137-REZERO foot switch (not AWP compatible)		\$240.00
GXA-23-PLUG	External key input interface with the AX-T-314A-S plug (not AWP compatible)		\$240.00
GXA-24	USB host interface (factory-installed only / not AWP compatible)		\$130.00
GXA-25	External fan less ionizer (static eliminator/not AWP compatible)		\$965.00
GXA-26	External IR switch (not AWP compatible)		\$205.00
GXA-27	Bluetooth Interface		\$175.00
GXA-31-1EA	Protective In-Use Cover 1 each		\$30.00
GXA-31-5PK	Protective In-Use cover 5 pack		\$125.00
FXi-08	Ethernet interface (not AWP compatible)		\$350.00
AD-1682	Rechargeable Battery Pack (external)		\$825.00
AD-8526-9	Ethernet Adapter D-Sub 9		\$640.00
AD-8920A	Universal Remote Display		\$325.00
AD-100-2	Anti-theft Device		\$95.00
SW:128	Foot Switch		\$100.00
TB:648	AC Adapter (120V / 220V) - Standard with unit		\$50.00
AD-8529PC-W	Bluetooth Converter for PC		\$520.00
AD-8529PR-W	Bluetooth Converter for Printer		\$520.00

GF-P Series

Legal for Trade Pharmacy Balances, NTEP 04-077 (While Supplies Last)

- Legal-for-trade Prescription balances.
- Meets Handbook 44 requirements for "Class A" Prescription Balance.
- Ideal for pill counting and compounding.
- Industry leading 5 year warranty.

Model Number	Description	Pan Size	List Price
GF-200P	210 g x 0.001 g with Breeze Break (3.6" high), NTEP/MC Class II, e = 0.01 g	5.04" x 5.04"	\$1,610.00
GF-300P	310 g x 0.001 g with Breeze Break (3.6" high), NTEP/MC Class II, e = 0.01 g	5.04" x 5.04"	\$1,915.00
GX-02	USB Option (Uni-Directional) with cable		\$170.00
GX-10	Glass Breeze Break for GF-200P and 300P (8.2" / 21 cm high)		\$325.00
TB:648	AC Adapter (120V / 220V) - Standard with unit		\$50.00

MC Series

Mass Comparators

- Fast response time with Super Hybrid Weighing Sensor with a 1.5 second stabilization time.
- Innovative auto-centering pan avoids corner-load errors and ensures higher accuracy.
- Metrological weighing to meet ASTM Class 2-7 and OIML Class F1 and below.
- Automatic internal calibration prompted by temperature change, and user-initiated calibration with one touch of the CAL key.
- Application modes include Hi/Low comparator, accumulation function (MC-10K/30K), counting, percent and dynamic weighing, weigh below and multiple weighing units.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
MC-1000S	1100 g x 0.1 mg with glass Breeze Break and auto-centering pan	5.04"x 5.04"	\$7,495.00
MC-6100S	6100 g x 0.001 g with glass Breeze Break and auto-centering pan	6.05"x 6.05"	\$7,500.00
MC-10KS	10.1 kg x 0.001 g with Simple Breeze Break and auto-centering pan	10.6"x 8.3"	\$8,980.00
MC-30KS	31 kg x 0.01 g with Simple Breeze Break and auto-centering pan	10.6"x 8.3"	\$8,980.00
MC-100KS	101 kg x 0.1 g **Discontinued**		Discontinued
AX-MC1000PAN	Auto-centering pan for MC-1000 (included with S bundle above)		\$1,400.00
AX-MC6100PAN	Auto-centering pan for MC-6100 (included with S bundle above)		\$1,400.00
AX-MC10K-30KPAN	Auto-centering pan for MC-10/30K (included with S bundle above)		\$1,785.00
GX-02	USB Option (Uni-Directional) with cable for MC-1000/6100*		\$170.00
GX-04	Comparator Output; Factory Installed Only for MC-1000/6100*		\$910.00
GX-06	Analog Output; Factory Installed Only for MC-1000/6100* (While Supplies Last)		\$960.00
AD-8922A	Remote Controller (with display and keypad)		\$775.00
GX-04K	Comparator output with a buzzer / RS-232C / Current loop for MC-10K/30K**		\$440.00
GX-06K	Analog voltage output / Current loop for MC-10K/30K**		\$415.00
GX-07K	Waterproof RS-232C cable (5 m) for MC-10K/30K		\$950.00
GX-15	Carrying Case for MC-10K/30K (While supplies last)		\$350.00
AD-1682	External Rechargeable Battery Pack		\$825.00
AD-1683A	Static Eliminator		\$1,445.00
AD-1684	Electrostatic Field Meter		\$1,780.00
AD-1688	Weighing Data Logger		\$370.00
AD-1689	Tweezers for calibration weight		\$225.00
AD-8127	Multi-Function Printer with LCD Display		\$1,040.00
SW:128	Foot Switch		\$100.00
KO:WW9-25	RS-232C cable (25P-9P, 2 m)		\$55.00
TB:648	AC Adapter (120V / 220V) - Standard with unit		\$50.00
AX-USB-2920-25P	USB to 25 pin RS-232 Converter		\$100.00

Note: *GX-02, GX-04, GX-06, and the standard RS-232C interface cannot be used at the same time.

**GX-04K, GX-06K, and the standard RS-232C interface cannot be used at the same time. The MC-10K/30K are not IP65 compliant with these options.

FZ-i Series

- Internal calibration, fast compact SHS weighing sensor, 1-second response time.
- Easy to read VFD Display.
- Standard RS-232C, Quick USB interface – no driver installation required (optional), Ethernet interface with WinCT-Plus software (optional).
- Added protection with Shock absorber function.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
FZ-120i	122 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$1,485.00
FZ-200i	220 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$1,560.00
FZ-300i	320 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$1,600.00
FZ-500i	520 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$1,825.00
FZ-1200i	1220 g x 0.01 g	Ø 5.91"	\$1,540.00
FZ-2000i	2200 g x 0.01 g	Ø 5.91"	\$1,590.00
FZ-3000i	3200 g x 0.01 g	Ø 5.91"	\$1,640.00
FZ-5000i	5200 g x 0.01 g	Ø 5.91"	\$1,870.00
FXi-02	USB Interface with cable (Uni-directional)*		\$110.00
FXi-08	Ethernet Interface with WinCT-Plus software*		\$350.00
FXi-09	Built-in Rechargeable Battery*		\$390.00
FXi-10	Small Breeze Break (3.4" high)		\$100.00
FXi-11	Large Breeze Break (7.9" high)		\$160.00
FXi-12	Animal weighing pan		\$325.00
TB:648	AC Adapter (120V / 220V) - Standard with unit		\$50.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter		\$65.00
AX:073009456	In-use Cover		\$20.00
AX:073009456	In-use Cover		\$20.00

* Note: Options FXi-02, FXi-08 and FXi-09 can NOT be combined and are factory installed. Select only one.

FX-iWP and FZ-iWP Series

- WP models are IP65 rated against dust and water ingress.
- Trade-legal: US NTEP CoC 08-045A2 and MC CoC AM-5692 (FX-iWP)
- Internal(FZ-iWP) and external calibration(FX-iWP), IP65 water and dust protection, SHS weighing sensor with 1-second response time.
- Easy to read VFD Display.
- Standard RS-232C, Quick USB interface – no driver installation required (optional), Ethernet interface with WinCT-Plus software (optional).
- Added protection with Shock absorber function.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
FX-120iWP	122 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$1,670.00
FX-120iWPN	122 g x 0.001 g with Breeze Break (3.4" high), NTEP/MC Class II, e = 0.01 g	Ø 5.12"	\$1,720.00
FX-200iWP	220 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$1,755.00
FX-200iWPN	220 g x 0.001 g with Breeze Break (3.4" high), NTEP/MC Class II, e = 0.01 g	Ø 5.12"	\$1,810.00
FX-300iWP	320 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$1,875.00
FX-300iWPN	320 g x 0.001 g with Breeze Break (3.4" high), NTEP/MC Class II, e = 0.01 g	Ø 5.12"	\$1,925.00
FX-1200iWP	1220 g x 0.01 g	Ø 5.91"	\$1,660.00
FX-1200iWPN	1220 g x 0.01 g, NTEP/MC Class II, e = 0.1 g	Ø 5.91"	\$1,710.00
FX-2000iWP	2200 g x 0.01 g	Ø 5.91"	\$1,755.00
FX-2000iWPN	2200 g x 0.01 g, NTEP/MC Class II, e = 0.1 g	Ø 5.91"	\$1,810.00
FX-3000iWP	3200 g x 0.01 g	Ø 5.91"	\$1,870.00
FX-3000iWPN	3200 g x 0.01 g, NTEP/MC Class II, e = 0.1 g	Ø 5.91"	\$1,920.00
FZ-120iWP	122 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$2,050.00
FZ-200iWP	220 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$2,130.00
FZ-300iWP	320 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$2,300.00
FZ-1200iWP	1220 g x 0.01 g	Ø 5.91"	\$2,050.00
FZ-2000iWP	2200 g x 0.01 g	Ø 5.91"	\$2,130.00
FZ-3000iWP	3200 g x 0.01 g	Ø 5.91"	\$2,305.00
FXi-02	USB Interface with cable (Uni-directional)*		\$110.00
FXi-08	Ethernet Interface with WinCT-Plus software*		\$350.00
FXi-09	Built-in Rechargeable Battery*		\$390.00
FXiWP-10	Small Breeze Break (3.4" high)		\$100.00
FXiWP-11	Large Breeze Break (7.9" high)		\$160.00
FXi-12	Animal weighing pan		\$325.00
TB:648	AC Adapter (120V / 200V) - Standard with unit		\$50.00
AX:KO2737-500	Waterproof RS_232 cable (5m)		\$440.00
AX:073009456	In-use Cover		\$20.00

*Note: Options FXi-02, FXi-08 and FXi-09 can NOT be combined and are factory installed. Select only one. (Not IP65 compliant when used with FZ-iWP)

FX-i Series

NTEP (N) and MC (NC)

- Trade-legal: US NTEP CoC 08-045A2 and MC CoC AM-5692. Selectable e=d or e=10d.
- External calibration, fast compact SHS weighing sensor, 1-second response time.
- Easy to read VFD Display.
- Standard RS-232C, Quick USB interface – no driver installation required (optional), Ethernet interface with WinCT-Plus software (optional).
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
FX-120i	122 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$1,230.00
FX-120iN	122 g x 0.001 g with Breeze Break (3.4" high), NTEP, Class II, e = 0.01 g	Ø 5.12"	\$1,280.00
FX-120iNC	122 g x 0.001 g with Breeze Break (3.4" high), MC, Class II, e = 0.01 g	Ø 5.12"	\$1,280.00
FX-200i	220 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$1,315.00
FX-200iN	220 g x 0.001 g with Breeze Break (3.4" high), NTEP, Class II, e = 0.01 g	Ø 5.12"	\$1,355.00
FX-200iNC	220 g x 0.001 g with Breeze Break (3.4" high), MC, Class II, e = 0.01 g	Ø 5.12"	\$1,365.00
FX-300i	320 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$1,330.00
FX-300iN	320 g x 0.001 g with Breeze Break (3.4" high), NTEP, Class II, e = 0.01 g	Ø 5.12"	\$1,345.00
FX-300iNC	320 g x 0.001 g with Breeze Break (3.4" high), MC, Class II, e = 0.01 g	Ø 5.12"	\$1,345.00
FX-500i	520 g x 0.001 g with Breeze Break (3.4" high)	Ø 5.12"	\$1,595.00
FX-1200i	1220 g x 0.01 g	Ø 5.91"	\$1,295.00
FX-1200iN	1220 g x 0.01 g, NTEP Class II, e = 0.1 g	Ø 5.91"	\$1,345.00
FX-1200iNC	1220 g x 0.01 g, MC, Class II, e = 0.1 g	Ø 5.91"	\$1,345.00
FX-2000i	2200 g x 0.01 g	Ø 5.91"	\$1,325.00
FX-2000iN	2200 g x 0.01 g, NTEP, Class II, e = -0.1 g	Ø 5.91"	\$1,375.00
FX-2000iNC	2200 g x 0.01 g, MC, Class II, e = 0.1 g	Ø 5.91"	\$1,375.00
FX-3000i	3200 g x 0.01 g	Ø 5.91"	\$1,415.00
FX-3000iN	3200 g x 0.01 g, NTEP, Class II, e = 0.1 g	Ø 5.91"	\$1,440.00
FX-3000iNC	3200 g x 0.01 g, MC, Class II, e = 0.1 g	Ø 5.91"	\$1,440.00
FX-5000i	5200 g x 0.01 g	Ø 5.91"	\$1,600.00
FXi-02	USB Interface with cable (Uni-directional)**		\$110.00
FXi-08	Ethernet Interface with WinCT-Plus software**		\$350.00
FXi-09	Built-in Rechargeable Battery**		\$390.00
FXi-10	Small Breeze Break (3.4" high)		\$100.00
FXi-11	Large Breeze Break (7.9" high)		\$160.00
FXi-12	Animal weighing pan		\$325.00
GXA-27	Bluetooth Interface		\$175.00
TB:648	AC Adapter (120V / 220V) - Standard with unit		\$50.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter		\$65.00
AX:073009456	In-use Cover		\$20.00

Note: Models with "N" suffix are NTEP listed. Models FX- iNC are Measurement Canada approved and display "g" only.

PORTABLES AND COMPACT BALANCES

EJ Series

Portable

- Fast response time, bright backlit LCD display.
- External Calibration
- Application modes include counting, percent weighing, accumulation function. GLP compliant.
- Security slot at the back for wire-locking to prevent theft, stackable body to save storage space.
- Power supply: AC adapter or 4 AA size dry batteries (batteries are not included).
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
EJ-54D2	22/52 g x 0.0002/0.001 g	Ø 1.96"	\$755.00
EJ-123	120 g x 0.001 g	Ø 4.3"	\$505.00
EJ-303	320 g x 0.001 g	Ø 4.3"	\$640.00
EJ-120	120 g x 0.01 g	Ø 4.3"	\$315.00
EJ-200	210 g x 0.01 g	Ø 4.3"	\$390.00
EJ-300	310 g x 0.01 g	Ø 4.3"	\$465.00
EJ-410	410 g x 0.01 g	Ø 4.3"	\$505.00
EJ-610	610 g x 0.01 g	Ø 4.3"	\$605.00
EJ-1202	1200 g x 0.01 g	5" x 5.5"	\$665.00
EJ-3002	3100 g x 0.01 g	5" x 5.5"	\$715.00
EJ-1500	1500 g x 0.1 g	5" x 5.5"	\$315.00
EJ-2000	2100 g x 0.1 g	5" x 5.5"	\$380.00
EJ-3000	3100 g x 0.1 g	5" x 5.5"	\$470.00
EJ-4100	4100 g x 0.1 g	5" x 5.5"	\$525.00
EJ-6100	6100 g x 0.1 g	5" x 5.5"	\$595.00
EJ-02	USB Interface B Connector (Uni-directional)		\$100.00
EJ-02C	USB Interface with cable (A to B, 5 ft.) (Uni-directional)		\$110.00
EJ-03	RS-232 Interface		\$80.00
EJ-03C	RS-232 Interface with cable (9 pin to 9 pin 6 ft.)		\$100.00
EJ-07	Underhook for EJ-3000, 4100, 6100		\$80.00
EJ-08	Underhook for EJ-1500, 2000		\$80.00
EJ-11	Breeze Break		\$80.00
EJ-12	Carrying Case, not for EJ-123, EJ-303, EJ-1202, EJ-3002, EJ-54D2		\$75.00
EJ-13	Density Determination Kit		\$100.00
EJ-27	Bluetooth interface		\$105.00
EJ-27 Kit	Bluetooth interface, includes EJ-27 plus AD-8541-PC		\$200.00
TB:662	AC Adapter (120V) - spare / replacement. Unit includes AC Adapter.		\$45.00
TB:164	AC Adapter (220V)		\$65.00

COMPACT BALANCES

EW-I Series

Triple Range with NTEP models

- Trade legal models: US NTEP CoC 04-019A1
- External Calibration
- Compact design with metal base housing, overload protection, and large backlit LCD display.
- Application modes include Hi/Low comparator function, counting, percent weighing, and 9 weighing units. GLP compliant.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
EW-150i	30 / 60 / 150g x .01 / .02 / .05g	Ø 4.3"	\$505.00
EW-1500i	300 / 600 / 1500 g x .1 / .2 / .5 g (NTEP Class III, D = 0.1, 0.2, 0.5 g)	5.2" x 6.7"	\$505.00
EW-12Ki	3000 / 6000 / 12,000 g x 1 / 2 / 5 g (NTEP Class III, 50 g D = 1, 2, 5 g)	5.2" x 6.7"	\$505.00
EKW-04i	Comparator/Relay Outputs/Buzzer		\$200.00
EKW-07i	Underhook for EK-4100i / 6100i / 6000i / 12Ki / EW-12Ki		\$60.00
EKW-09i	NiMH Battery Pack		\$250.00
AX:3005824-5S	Protective In- use Cover (each)		\$15.00
EJ-12	Carrying Case, not for EJ-123, EJ-303, EJ-1202, EJ-3002, EJ-54D2		\$75.00
AD-100-2	Anti-Theft Device		\$95.00
TB:662	AC Adapter (120V) - spare / replacement. Unit includes AC Adapter.		\$45.00
TB:164	AC Adapter (220V)		\$65.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter		\$65.00

EK-I Series

Single Range with NTEP models

- Trade legal models: US NTEP CoC 04-019A1
- Compact design with metal base housing, overload protection, and large backlit LCD display.
- Application modes include Hi/Low comparator function, counting, percent weighing, and 9 weighing units. GLP compliant.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
EK-120i	120 g x 0.01 g	Ø 4.3"	\$595.00
EK-200i	200 g x 0.01 g	Ø 4.3"	\$645.00
EK-300i	300 g x 0.01 g	Ø 4.3"	\$670.00
EK-410i	400 g x 0.01 g	Ø 4.3"	\$750.00
EK-610i	600 g x 0.01 g	Ø 4.3"	\$885.00
EK-600i	600 g x 0.1 g NTEP Class III e = 0.1 g	5.2" x 6.7"	\$595.00
EK-1200i	1200 g x 0.1 g NTEP Class II e = 0.1 g	5.2" x 6.7"	\$585.00
EK-2000i	2000 g x 0.1 g	5.2" x 6.7"	\$650.00
EK-3000i	3000 g x 0.1g	5.2" x 6.7"	\$705.00
EK-4100i	4000 g x 0.1g	5.2" x 6.7"	\$845.00
EK-6100i	6000 g x 0.1g	5.2" x 6.7"	\$1,025.00
EK-6000i	6000 g x 1 g NTEP Class III e = 1 g	5.2" x 6.7"	\$670.00
EK-12Ki	12,000 g x 1 g NTEP Class II e = 1 g	5.2" x 6.7"	\$825.00
EKW-04i	Comparator/Relay Outputs/Buzzer		\$200.00
EKW-07i	Underhook for EK-4100i / 6100i / 6000i / 12Ki / EW-12Ki		\$60.00
EKW-09i	NiMH Battery Pack		\$250.00
AX:3005824-5S	Protective In- use Cover (each)		\$15.00
EJ-12	Carrying Case, not for EJ-123, EJ-303, EJ-1202, EJ-3002, EJ-54D2		\$75.00
TB:662	AC Adapter (120V) - spare / replacement. Unit includes AC Adapter.		\$45.00
TB:164	AC Adapter (220V)		\$65.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter		\$65.00

BALANCE ACCESSORIES



Model Number	Description	Pan Size	List Price
AD-1683A	Static Eliminator, 4 electrodes (replacement for AD-1683)		\$1,445.00
AD-1676	External Draft Enclosure		\$725.00
AD-1671	Anti-vibration table (slab with absorbing feet)		\$1,620.00
AD-1671A	Viscometer anti-vibration table (slab with absorbing feet)		\$2,100.00
AD-1672	Tabletop Breeze Break (27" wide x 28.5" high x 24" deep - outer dimensions), shipping weight approx. 30 lbs, requires assembly		\$1,735.00
BT-3135	24" x 35" x 32" Balance Table/ hardware, natural stone, weighs approx. 600 lbs, ships by road freight only		\$1,735.00
BT-3136	20" x 15" x 3" Balance Slab		\$665.00
NOTE: BT models are drop-ship only.			
AD-8529PC-W	Bluetooth® Converter for PC		\$520.00
AD-8529PR-W	Bluetooth® Converter for Printer		\$520.00

ENVIRONMENT ANALYZER AND DATA LOGGERS



Model Number	Description	Pan Size	List Price
AD-1687	Weighing Environment Logger		\$1,120.00
AD-1688	Weighing Data Logger (For A&D models with RS-232)		\$370.00

HIGH CAPACITY BALANCES

GF-M and GX-M Series

- Automatic external calibration(GF-M series) and internal calibration (GX-M series) prompted by temperature change, and user-initiated calibration with one push of the CAL key.
- Fast response time with Smart Hybrid Weighing Sensor with a 1 second stabilization time
- IP65 dust and water protection, die-cast aluminum base with standard RS-232C & USB interfaces.
- Application modes include Hi/Low comparator, accumulation function, counting, percent and dynamic weighing, weigh below and multiple weighing units. GLP, GMP and ISO compliant.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
GF-8202MD	2.2 / 8.2 kg x 0.01 / 0.1 g	10.62" x 8.26"	\$3,365.00
GF-8202M	8.2 kg x 0.01 g	10.62" x 8.26"	\$3,985.00
GF-10202M	10.2 kg x 0.01 g	10.62" x 8.26"	\$4,275.00
GF-12001M	12.2 kg x 0.1 g	10.62" x 8.26"	\$3,605.00
GF-22001M	22.2 kg x 0.1 g	10.62" x 8.26"	\$3,830.00
GF-32001M	32.2 kg x 0.1 g	10.62" x 8.26"	\$4,480.00
GF-32001MD	6.2 / 32.2 kg x 0.1 / 1 g	10.62" x 8.26"	\$3,375.00
GX-8202MD	2.2 / 8.2 kg x 0.01 / 0.1 g	10.62" x 8.26"	\$3,655.00
GX-8202M	8.2 kg x 0.01 g	10.62" x 8.26"	\$4,180.00
GX-10202M	10.2 kg x 0.01 g	10.62" x 8.26"	\$4,490.00
GX-12001M	12.2 kg x 0.1 g	10.62" x 8.26"	\$3,795.00
GX-22001M	22.2 kg x 0.1 g	10.62" x 8.26"	\$4,115.00
GX-32001M	32.2 kg x 0.1 g	10.62" x 8.26"	\$4,750.00
GX-32001MD	6.2 / 32.2 kg x 0.1 / 1 g	10.62" x 8.26"	\$3,680.00
GXM-04	Comparator relay output/buzzer/RS-232C*		\$520.00
GXM-06	Analog output / 4-20mA interface*		\$610.00
GXK-12	Animal Weighing Pan		\$945.00
GXK-31	Draft Shield		\$140.00
AD-100-2	Anti-Theft Device		\$95.00
AX:073007197A	Protective In-Use Cover		\$25.00
TB:648	AC Adapter (120V / 220V) - Standard with unit		\$50.00
AX-USB-2920-25P	USB to 25 pin RS-232 Converter		\$100.00

GXM-04 and GXM-06 replace standard RS-232C port. Only one option per balance.

GX-L Series

High Capacity Lab Balance with Swing arm or Modular display

- Successor to the GP Series.
- Large Reverse Backlit LCD Display.
- Swing Arm Design or detached display.
- IP65 Dust and Water protection, aluminum and stainless steel construction, standard RS232 and USB.
- Automatic Internal Calibration.
- Hi/Low comparator, accumulation function, counting, percent and below weighing.
- 5 Year Warranty.



Model Number	Description	Pan Size	List Price
GX-12001L	12,000 g x 0.1 g, 15.2" x 13.5" pan, swing arm display, IP65, internal cal	15.2" x 13.5"	\$4,010.00
GX-22001L	22,000 g x 0.1 g, 15.2" x 13.5" pan, swing arm display, IP65, internal cal	15.2" x 13.5"	\$4,420.00
GX-32001L	32,000 g x 0.1 g, 15.2" x 13.5" pan, swing arm display, IP65, internal cal	15.2" x 13.5"	\$5,250.00
GX-32001LS	32,000 g x 0.1 g, 15.2" x 13.5" pan, detached display, IP65, internal cal	15.2" x 13.5"	\$5,620.00
GX-32001LD	6,200 g x 0.1 g / 32,000 g x 1 g, 15.2" x 13.5" pan, swing arm display, IP65, internal cal	15.2" x 13.5"	\$3,655.00
GX-32001LDS	6,200 g x 0.1 g / 32,000 g x 1 g, 15.2" x 13.5" pan, detached display, IP65, internal cal	15.2" x 13.5"	\$4,080.00
GX-42001L	42,000 g x 0.5 g, 15.2" x 13.5" pan, swing arm display, IP65, internal cal	15.2" x 13.5"	\$4,875.00
GX-62001L	62,000 g x 0.1 g, 15.2" x 13.5" pan, swing arm display, IP65, internal cal	15.2" x 13.5"	\$6,875.00
GX-62001LS	62,000 g x 0.1 g, 15.2" x 13.5" pan, detached display, IP65, internal cal	15.2" x 13.5"	\$6,685.00
GX-62000L	62,000 g x 1 g, 15.2" x 13.5" pan, swing arm display, IP65, internal cal	15.2" x 13.5"	\$5,995.00
GX-62000LS	62,000 g x 1 g, 15.2" x 13.5" pan, detached display, IP65, internal cal	15.2" x 13.5"	\$6,255.00
GX-102000L	102,000 g x 1 g, 15.2" x 13.5" pan, swing arm display, IP65, internal cal	15.2" x 13.5"	\$6,310.00
GX-102000LS	102,000 g x 1 g, 15.2" x 13.5" pan, detached display, IP65, internal cal	15.2" x 13.5"	\$6,805.00
GXL-04	Comparator relay output for GX-L		\$260.00
GXL-06	Analog output interface for GX-L		\$325.00
GXL-07	5m extension cable for GX-LS		\$385.00
GXL-08	Ethernet Interface for GX-L		\$275.00
GXL-27	Bluetooth interface for GX-L		\$90.00
GP-20	Underhook 12 kg through 40 kg		\$220.00
GP-21	Underhook 60 kg through 102 kg		\$220.00
AD-1682	Rechargeable Battery Pack (external)		\$825.00
AX-GXL-31	Display Unit Cover (5 pcs)		\$40.00

MOISTURE ANALYZERS

M Series

Halogen, SHS Sensor w/SRA

- Fast and uniform halogen heating and uniquely designed "SRA" filter that avoids hot spots.
- High repeatability with Super Hybrid Sensor Technology.
- Calibration function for the heating temperature with optional MX/MF-43 (for MS and MX)
- WinCT-Moisture displays moisture rate changes in a real time graphing. Calculates measurement data statistics.
- Five measurement programs, and four heating modes, memory function for save/recall test configurations.
- Industry leading 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
MS-70	71g x 0.0001 g (0.001% moisture content)	Ø 85mm	\$6,540.00
MX-50	51g x 0.001 g (0.01% moisture content)	Ø 85mm	\$4,070.00
MF-50	51g x 0.002 g (0.05% moisture content)	Ø 85mm	\$3,285.00
ML-50	51g X 0.005 g (0.1% moisture content)	Ø 85mm	\$2,755.00
AX-30	Sample Pans (disposable, 100 ea.)		\$60.00
AX-31	Sample Pans (washable, 100 ea.)		\$120.00
AX-32-2	Glass Fiber Sheets (100 ea.)		\$60.00
AX-33	Sodium Tartrate Dihydrate Test Samples (30g x 12 ea.)		\$105.00
AX-34	Halogen Lamp (replacement)		\$75.00
AX-35	Pan Handles (2 ea.)		\$30.00
AX-36	Tweezers (2 ea.)		\$20.00
AX-37	Spoons (2 ea.)		\$25.00
AX-38	Protective In-use Covers (5 ea.)		\$50.00
AX-39	Dust Cover		\$20.00
AX-42	WinCT- Moisture (standard for MS-70 and MX-50, option for MF-50)		\$290.00
AD-1700-20G	20g - Class I weight, w/o cert., screw knob w/glove		\$130.00
AX-43	Temperature Calibrator (MS-70 and MX-50 only)		\$540.00
AX-USB-2920-25P	USB to 25 pin RS-232 Converter		\$100.00

VISCOMETERS

SV Series

Tuning Fork Vibro for Newtonian Fluids. Sample Cups 4pk, Cables, WinCT-Viscosity

- Measurement of very low viscosities - down to 1/3 of water viscosity. Measurements possible on foaming samples, on foam itself, on flowing or agitated samples.
- Wide measurement range: 0.3 – 10,000mPa-s for SV-10, and 1,000 – 100,000mPa-s for SV-100.
- Fast measurements: 1st result within 15 seconds. Temperature measurement from 0 to 160°C.
- High precision with a repeatability of $\pm 1\%$ of displayed value. Includes WinCT-Viscosity software.
- Can measure directly in containers, beakers, product packages.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
SV-10	0.3 cP - 10,000 cP		\$4,200.00
SV-100	10 P - 1,000 P (1,000 cP - 100,000 cP)		\$4,200.00
SV-33	45 ml Polycarbonate Sample Cup (10 pcs/set)		\$130.00
SV-34	10 ml Polycarbonate Sample Cup (10 pcs/set)		\$110.00
SV-35	13 ml Glass Sample Cup (1 each)		\$345.00
SV-36	Position Fixer for Sensor Unit		\$205.00
SV-37	Water Jacket (for use with 10 ml cups)		\$230.00
SV-42	Analog Voltage Output (0-1V)		\$840.00
SV-43	Extension Cable (Sensor - Display) 5m		\$385.00
SV-54	Cup Set (45 ml, Polycarbonate \times 5 pcs; 10 ml, with cover, Polycarbonate \times 5 pcs; 13 ml, Glass \times 2 pcs; Glass sample cup holder; Stainless steel \times 1 pc; Water jacket \times 1 pc)		\$815.00
AD-1671A	Anti-vibration table (slab) for Viscometers and Rheometers		\$2,100.00
CC:SV	Viscometer Carrying Case		\$725.00
TB:636	AC Adapter 120V (Standard with unit)		\$45.00
TB:137	AC Adapter 220V		\$65.00
AX-USB-2920-25P	USB to 25 pin RS-232 Converter		\$100.00

SV-A Series

Tuning Fork Vibro-viscometer for Newtonian fluids, additional polycarbonate and glass sample cups, Enhanced X-Y-Z stage stand, positioning collar, water jacket, serial-to-USB converter, cables

- Measurement of very low viscosities - down to 1/3 of water viscosity. Measurements possible on foaming samples, on foam itself, on flowing or agitated samples.
- Wide measurement range: 0.3 – 10,000mPa-s for SV-10A, and 1,000 – 100,000mPa-s for SV-100A.
- SV-1A measures low volumes as little as 2 ml.
- Fast measurements: 1st result within 15 seconds. Temperature measurement from 0 to 160°C.
- Anti-corrosive, titanium sensor plates and temperature sensor.
- High precision with a repeatability of $\pm 1\%$ of displayed value. Includes WinCT-Viscosity software.
- Can measure directly in containers, beakers, product packages.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
SV-1A	0.8 cP - 1000 cP		\$7,865.00
SV-10A	0.3 cP - 10,000 cP		\$6,835.00
SV-100A	10 P - 1,000 P (1,000 cP - 100,000 cP)		\$6,835.00
SV-33	45 ml Polycarbonate Sample Cup (10 pcs/set)		\$130.00
SV-34	10 ml Polycarbonate Sample Cup (10 pcs/set)		\$110.00
SV-35	13 ml Glass Sample Cup (1 each)		\$345.00
SV-36	Position Fixer for Sensor Unit		\$205.00
SV-37	Water Jacket (for use with 10 ml cups)		\$230.00
SV-42	Analog Voltage Output (0-1V)		\$840.00
SV-43	Extension Cable (Sensor - Display) 5m		\$385.00
SV-55	Cup Set (45 ml, Polycarbonate x 5 pcs; 2 ml, with lid, Polycarbonate x 5 pcs; 2 ml, Glass x 10 pcs; 2 ml sample cup holder; Polycarbonate: Transparent x 3 pcs and Black x 2 pcs; 2 ml sample cup stand x 1 pcs; Water jacket x 1 pc)		\$815.00
SV-56-1	2ml Sample Cup Holder, Polycarbonate, Transparent x 5pcs		\$170.00
SV-56-2	2ml Sample Cup Holder, Polycarbonate, Black x 5pcs		\$170.00
SV-57	2ml Sample Cup Stand x 2pcs		\$170.00
SV-58	Sample Cup, 2ml with Lid, Polycarbonate x 100pcs		\$225.00
SV-59	Sample Cup, 2ml, Glass x 5pcs, 2ml Sample Cup Stand x 1pc		\$465.00
AD-1671A	Anti-vibration table (slab) for Viscometers and Rheometers		\$2,100.00
CC:SV	Viscometer Carrying Case		\$725.00
TB:636	AC Adapter 120V (Standard with unit)		\$45.00
TB:137	AC Adapter 220V		\$65.00
AX-USB-2920-25P	USB to 25 pin RS-232 Converter		\$100.00

RV Series

Tuning Fork Vibro Rheometer For Newtonian and non-Newtonian Fluids

- Wide measurement range from 0.3 mPa-sec-25,000 mPa-sec.
- Simultaneous measurement of temperature and viscosity.
- Repeatability as high as 1% of the measured value even with low viscosity sample fluids.
- Quick measurement in only 20 seconds. Adjustable vibration amplitude allows changing of the shear rate. Measurement of liquids in motion. Simple user calibration.
- LCD Display with 7-inch, color touch-panel (RV-A). Includes WinCT-Viscosity software.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
RV-10000A	0.3 cP - 25,000 cP with touch controller, auto mode and AD-1671A		\$20,625.00
SV-33	45 ml Polycarbonate Sample Cup (10 pcs/set)		\$130.00
SV-34	10 ml Polycarbonate Sample Cup (10 pcs/set)		\$110.00
SV-35	13 ml Glass Sample Cup (1 each)		\$345.00
SV-36	Position Fixer for Sensor Unit		\$205.00
SV-37	Water Jacket (for use with 10 ml cups)		\$230.00
SV-42	Analog Voltage Output (0-1V)		\$840.00
SV-43	Extension Cable (Sensor - Display) 5m		\$385.00
SV-53	Software set (WinCT-Viscosity x 1pc, 25P-9P RS-232C cable x 1pc, Serial-USB Converter x 1pc)		\$1,175.00
SV-54	Cup Set (45 ml, Polycarbonate x 5 pcs; 10 ml, with cover, Polycarbonate x 5 pcs; 13 ml, Glass x 2 pcs; Glass sample cup holder; Stainless steel x 1 pc; Water jacket x 1 pc)		\$815.00
AD-1671A	Anti-vibration table (slab) for Viscometers and Rheometers		\$2,100.00
CC:SV	Viscometer Carrying Case		\$725.00
TB:636	AC Adapter 120V (Standard with unit)		\$45.00
TB:137	AC Adapter 220V		\$65.00
AX-USB-2920-25P	USB to 25 pin RS-232 Converter		\$100.00

PIPETTE ACCURACY AND LEAK TESTERS

- Compliant to ISO8655 for "gravimetric methods".
- Three models covering a wide volumetric range from 1µg to 1mg.
- Fast response and stabilization times with Super Hybrid Weighing Sensor.
- Data evaluation and control of the balance with "WinCT-Pipette" software.
- 5-year A&D warranty.



Model Number	Description	Pan Size	List Price
AD-4212B-PT	110 g / 31 g / 5 g x 0.1 mg / 0.01 mg / 0.001 mg		\$7,710.00
AD-4212A-PT	110 g x 0.1 mg		\$5,755.00
FX-300i-PT	320 g x 1 mg		\$2,560.00
BM-14	Pipette Accuracy Testing Kit for BM Series		\$1,960.00
AD-1690	Pipette Leak Tester		\$2,320.00
AD-1690-01	TUBE SET: 1 ADAPTOR, 3 TUBES		\$190.00
AD-1690-02	FILTER SET: 1 HOUSING, 10 FILTERS		\$175.00
AD-1690-15	Carrying Case for Pipette Leak Tester		\$270.00
TB:648	AC Adapter (120V / 220V)		\$50.00

* H denotes flat 25% discount for all partners

INTRINSICALLY SAFE BALANCES AND SCALES

EK-EP/AEP Series

Intrinsically Safe, FM Approved Class I, Division I, C&D, T4; ATEX, IEX

- Class 1, Division 1, Groups C&D listed for FM, IECEx, ATEX. See certificate(s) for full details.
- Battery operation with up to 250 hours for portability, requires no external power supply.
- Stainless steel weighing pan, easy-to-read bright LCD display with backlight, external calibration.
- Application modes: counting, %, Low/OK/High comparator for fast and accurate filling.
- Add the AD-1611 to communicate from the balance to the safe area (-AEP models only).
- 2-year A&D warranty



Model Number	Description	Pan Size	List Price
EK-300AEP	300 x 0.01g Intrinsically Safe	Ø 4.3"	\$1,895.00
EK-3000AEP	3000 x 0.1g Intrinsically Safe	5.2" x 6.7"	\$2,010.00
EK-12KAEP	12kg x 0.001kg Intrinsically Safe (Order if application requires AD-1611 communications)	5.2" x 6.7"	\$2,240.00
EJ-12	Carrying case for EK-EP and EK-AEP balances		\$75.00
AD-1611	Optical communication adapter for data output		\$530.00
AX-KS5456-010	Optical fiber cable (10 m)		\$340.00
AX-KS5456-030	Optical fiber cable (30 m)		\$645.00
AX-KS5456-060	Optical fiber cable (60 m)		\$950.00

HW-CEP Series

Intrinsically Safe, FM Approved Class I, Division I, C&D, T4; ATEX, IEX

- FM, IECEx, ATEX listed. See certificate(s) for full details. Class I, Division 1, Groups C and D.
- Fast stabilization time – 1.5 seconds. IP65 dust and water protection (platform only).
- Battery operation with 4 D approved cells, (not included), up to 1500 hours run time.
- Application modes include Hi/OK/Low comparator, counting, and multiple weighing units.
- Backlit LCD display with alphanumeric keypad. GLP/GMP/ISO Compliant.
- Weighs in kg, lb, oz, lb-oz
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
HW-10KCEP	20 lb x 0.002 lb / 10 kg x 0.001 kg	9.8" x 9.8"	\$2,470.00
HW-60KCEP	150 lb x 0.01 lb / 60 kg x 0.005 kg	13" x 16.7"	\$2,780.00
HW-100KCEP	200 lb x 0.02 lb / 100 kg x 0.01 kg	15.4" x 20.9"	\$3,215.00
HW-200KCEP	500 lb x 0.05 lb / 220 kg x 0.02 kg	15.4" x 20.9"	\$3,460.00

COMPACT SCALES

HL-i Series

- Large LCD Display with stability indicator and overload protection.
- Battery operation with 4 AA batteries (included), up to 450 hours run time. Optional AC adaptor.
- VP models include stainless steel pan cover, AC adaptor, carry and storage case.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
HL-200i	200 g x 0.1 g (g/ oz/ ct/ tl)	Ø 5.1"	\$130.00
HL-200iVP	200 g x 0.1 g *	Ø 5.1"	\$180.00
HL-2000i	2000 g x 1 g (g/ oz/ lb-oz/ tl)	Ø 5.1"	\$130.00
HL-2000iVP	2000 g x 1 g *	Ø 5.1"	\$180.00
AX:043008052	Stainless Steel Weighing Pan (for HL-i)		\$20.00
AX-093008304	Plastic Carrying Case		\$20.00
TB:662	AC Adapter for the HL-i. The HL-iVP includes AC Adapter.		\$45.00

* Supplied with Stainless Steel Pan, AC Power, Batteries, and Carrying Case

HT Series

- Large LCD display with clearly visible characters (13.5mm).
- Battery operation with 4 AA batteries (included), up to 500 hours run time. Optional AC adaptor.
- Includes storage box, stackable case takes up less space for storage, anti-theft feature.
- 2-year A&D warranty.



HT-120

HT-5000

Model Number	Description	Pan Size	List Price
HT-120	120 g x 0.01 g	Ø 2.75"	\$305.00
HT-300	310 g x 0.1 g	5.20" x 5.12"	\$160.00
HT-500	510 g x 0.1 g	5.20" x 5.12"	\$190.00
HT-3000	3100 g x 1 g	5.20" x 5.12"	\$160.00
HT-5000	5100 g x 1 g	5.20" x 5.12"	\$190.00
HT-10	Stainless Steel Weighing Pan		\$35.00
TB:662	AC Adapter (120V) Ordered Separately		\$45.00
FV-06	AC Adapter (220V) Ordered Separately		\$55.00

SJ Series

Low Profile Compact Scale, NSF Listed. Canada AM-5772 and US NTEP CoC 10-001 (all models except SJ-5001HS).

- Trade-legal: Canada AM-5772 and US NTEP CoC 10-001 (all models except SJ-5001HS).
- NSF 169 and NSF 14159-1 listed, the highest hygienic food safety standards.
- Stainless steel weighing pan standard.
- Battery operation with 4 D cells (not included), up to 1,600 hours run time. Optional AC adaptor.
- Large LCD display, multiple weighing units: g, lb, oz.
- Level bubble and adjustable feet for precise leveling. Fast stabilization- less than 1 second.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
SJ-1000HS	2.2 lb x 0.001 lb / 1000 g x 0.5g / 35 oz x 0.02 oz / 2.2 lb x 0.1 oz	9" x 7.5"	\$275.00
SJ-2000HS	4.4 lb x 0.002 lb / 2000 g x 1 g / 70 oz x 0.05 oz / 4.4 lb x 0.1 oz	9" x 7.5"	\$275.00
SJ-5000HS	11 lb x 0.005 lb / 5000 g x 2 g / 176 oz x 0.1 oz / 11 lb x 0.1 oz	9" x 7.5"	\$275.00
SJ-5001HS	11 lb x 0.002 lb / 5000 g x 1 g / 176 oz x 0.1 oz / 1 lb x 0.1 oz	9" x 7.5"	\$305.00
SJ-12KHS	26 lb x 0.01 lb / 12 kg x 0.005 kg / 423 oz x 0.2 oz / 26 lb x 1 oz	9" x 7.5"	\$275.00
SJ-20KHS	44 lb x 0.02 lb / 20 kg x 0.01 kg / 705 oz x 0.5 oz / 44 lb x 1 oz	9" x 7.5"	\$325.00
SJ-30KHS	66 lb x 0.05 lb / 30 kg x 0.02 kg / 1058 oz x 1 oz / 66 lb x 1 oz	9" x 7.5"	\$325.00
TB:662	AC Adapter (120V) - Ordered Separately.		\$45.00
FV-06	AC Adapter 220V (optional)		\$55.00

WASHDOWN COMPACT SCALES

HL-WP Series

NSF Listed, NTEP #05-008A1, Models As Noted

- Trade-legal US NTEP CoC 05-008A1, models with "N" suffix.
- Stainless steel case and weighing pan with IP65 dust and water protection.
- Battery operation with 6 AA batteries (not included). Optional AC adapter.
- One-inch LCD display with net weight and stability indicator.
- Made in South Korea.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
HL-300WP	10.58 oz x 0.01 oz / 300 g x 0.1 g	5" x 5"	\$505.00
HL-1000WP	2.2 lb x 0.001 lb / 1000 g x 0.5 g	5" x 5"	\$505.00
HL-3000WP	6.6 lb x 0.002 lb / 3000 g x 1 g	5" x 5"	\$495.00
HL-3000LWP	6.6 lb x 0.002 lb / 3000 g x 1 g	5.4" x 6.8"	\$495.00
HL-3000WP(N)	6.6 lb x 0.002 lb / 3000 g x 1 g (NTEP Class III)	5" x 5"	\$495.00
HL-3000LWP(N)	6.6 lb x 0.002 lb / 3000 g x 1 g (NTEP Class III)	5.4" x 6.8"	\$495.00
TB:662	AC Adapter (120V) Ordered Separately, not washdown.		\$45.00

SK-WP Series

NSF Listed, NTEP #98-086A2, Measurement Canada AM-5270rev2

- Trade-legal: Measurement Canada AM-5270 and US NTEP CoC: 98-086A3
- Stainless steel top case, weighing pan, IP65 dust and water protection. Large clear LCD display.
- Battery operation with 6 D cells (not included), up to 1,600 hours run time. Optional AC adapter.
- Easy one-touch full digital calibration.
- Made in South Korea.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
SK-1000WP	2.2 lb x 0.001 lb / 1000 g x 0.5 g	9.1" x 7.5"	\$510.00
SK-2000WP	4.4 lb x 0.002 lb / 2000 g x 1 g	9.1" x 7.5"	\$525.00
SK-5000WP	11 lb x 0.005 lb / 5000 g x 2 g / 176 oz x 0.1 oz	9.1" x 7.5"	\$525.00
SK-5001WP	5000 g x 1 g (grams only) (non - NTEP)	9.1" x 7.5"	\$525.00
SK-10KWP	22 lb x 0.01 lb / 10 kg x 0.005 kg	9.1" x 7.5"	\$510.00
SK-20KWP	44 lb x 0.02 lb / 20 kg x 0.01 kg	9.1" x 7.5"	\$535.00
TB:662	AC Adapter (120V) - Ordered Separately, not washdown.		\$45.00
FV-06	AC Adapter (220V)		\$55.00

SJ-WP Series

NSF Listed. Dual mode: Legal-for-trade and high-resolution. NTEP #18-131
Measurement Canada AM-6118

- Selectable dual-mode: high resolution or trade-legal NTEP CoC 18-131, Canada AM-6118
- NSF 169 and NSF 14159-1 listed, the highest hygienic food safety standards.
- IP67 dust and water protection, stainless weighing pan. Fast stabilization time <1 second.
- Battery operation with 6 D cells only (not included), up to 5000 hours run time.
- 3-5-7 levels of Low/OK/High comparators, with bright traffic-light LED lamps.
- Take-away check weighing, counting mode and multiple weighing units with large LCD display.
- Values in table below lists: hi-res (LFT readability).
- Weigh units: lb, oz, g in LFT mode, add lb-oz in hi-res mode.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
SJ-3000WP	6.6 lb x 0.0002 lb / 3000 g x 0.1 g (0.002 lb / 1 g in LFT)	9.1" x 7.5"	\$575.00
SJ-6000WP	13 lb x 0.0005 lb / 6000 g x 0.2 g (0.005 lb / 2 g in LFT)	9.1" x 7.5"	\$575.00
SJ-15KWP	33 lb x 0.001 lb / 15 kg x 0.5 g (0.01 lb / 5 g in LFT)	9.1" x 7.5"	\$610.00
SJ-30KWP	66 lb x 0.002 lb / 30 kg x 1 g (0.02 lb / 10 g in LFT)	9.1" x 7.5"	\$605.00

SJ-WP-BT Series

NSF Listed. High-resolution compact bench scale with Bluetooth for A&D devices, see below

- High-resolution version (not LFT) of the SJ-WP with Bluetooth.
- Wireless connection to external remote display, AD-8931.
- Wireless connection to PC via USB dongle AD-8541-PC.
- 2-year A&D warranty.

Model Number	Description	Pan Size	List Price
SJ-3000WP-BT	6.6 lb x 0.0002 lb / 3000 g x 0.1 g	9.1" x 7.5"	\$630.00
SJ-6000WP-BT	13 lb x 0.0005 lb / 6000 g x 0.2 g	9.1" x 7.5"	\$630.00
SJ-15KWP-BT	33 lb x 0.001 lb / 15 kg x 0.5 g	9.1" x 7.5"	\$660.00
SJ-30KWP-BT	66 lb x 0.002 lb / 30 kg x 1 g	9.1" x 7.5"	\$680.00
AD-8541-PC	PC USB dongle to connect to SJ-WP-BT via Bluetooth		\$150.00
AD-8931	External remote display for SJ-WP-BT scales		\$110.00

PRECISION BENCH SCALES

EK-L Series

Precision Bench Scales

- Large weighing pan for measurements of bulky objects or quantities.
- Hygienic and scratch-resistant stainless steel (SUS430) weighing pan.
- Easy-to-read LCD display, white backlight, Standard RS-232C interface.
- GLP/GMP/GCP/ISO compliant.
- Operation with either AC adapter or optional rechargeable battery.
- No underhook, contact factory for further information on special version.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
EK-15KL	15 kg x 0.1 g Precision bench scale	\$1,010.00	B
EK-30KL	3 kg/30 kg x 0.1/1 g Precision bench scale	\$1,010.00	B
TB:662	AC Adapter (120V) - spare / replacement. Unit includes AC adapter.	\$45.00	G

PLATFORM SCALES

FG-K Series

Platform Scales, NTEP #05-101 Measurement Canada AM-5627

- Trade-legal: Measurement Canada AM-5627 and US NTEP CoC: 05-101
- Fast stabilization time - 1 second, stainless steel weighing pan. Simple 4-key operation.
- Available configurations: column mount(A), base mount (B), optional wall mount bracket.
- Battery operation with 4 C cells (not included), up to 150 hours run time. AC adapter included.
- Application modes include High/OK/Low comparator, counting, and multiple weighing units.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
FG-30KBMN	60 lb x 0.02 lb / 30 kg x 0.01 kg (no Column)	11.8" x 15"	\$730.00
FG-60KBMN	150 lb x 0.05 lb / 60 kg x 0.02 kg (no Column)	11.8" x 15"	\$740.00
FG-150KBMN	300 lb x 0.1 lb / 150 kg x 0.05 kg (no Column)	11.8" x 15"	\$795.00
FG-30KAMN	60 lb x 0.02 lb / 30 kg x 0.01 kg (with Column)	11.8" x 15"	\$760.00
FG-60KAMN	150 lb x 0.05 lb / 60 kg x 0.02 kg (with Column)	11.8" x 15"	\$775.00
FG-150KAMN	300 lb x 0.1 lb / 150 kg x 0.05 kg (with Column)	11.8" x 15"	\$885.00
FG-60KALN	150 lb x 0.05 lb / 60 kg x 0.02 kg (with Column)	15.4" x 20.9"	\$865.00
FG-150KALN	300 lb x 0.1 lb / 150 kg x 0.05 kg (with Column)	15.4" x 20.9"	\$950.00
FG-200KALN	400 lb x 0.1 lb / 200 kg x 0.05 kg (with Column)	15.4" x 20.9"	\$1,010.00

See next page for options

FG-K Series

Platform Scales, High Resolution, non-NTEP

- High resolution with fast stabilization- 1 second, stainless steel pan. Simple 4-key operation.
- Configurations: column mount (A), base mount (B), optional wall mount bracket.
- Battery operation with 4 C cells (not included), up to 150 hours run time. AC adapter included.
- Application modes include High/OK/Low comparator, counting, and multiple weighing units.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
FG-30KBM	60 lb x 0.005 lb / 30 kg x 0.002 kg (no Column)	11.8" x 15"	\$730.00
FG-60KBM	150 lb x 0.01 lb / 60 kg x 0.005 kg (no Column)	11.8" x 15"	\$740.00
FG-150KBM	300 lb x 0.02 lb / 150 kg x 0.01 kg (no Column)	11.8" x 15"	\$795.00
FG-30KAM	60 lb x 0.005 lb / 30 kg x 0.002 kg (with Column)	11.8" x 15"	\$760.00
FG-60KAM	150 lb x 0.01 lb / 60 kg x 0.005 kg (with Column)	11.8" x 15"	\$775.00
FG-150KAM	300 lb x 0.02 lb / 150 kg x 0.01 kg (with Column)	11.8" x 15"	\$885.00
FG-60KAL	150 lb x 0.01 lb / 60 kg x 0.005 kg (with Column)	15.4" x 20.9"	\$865.00
FG-150KAL	300 lb x 0.02 lb / 150 kg x 0.01 kg (with Column)	15.4" x 20.9"	\$950.00
FG-200KAL	400 lb x 0.02 lb / 200 kg x 0.01 kg (with Column)	15.4" x 20.9"	\$1,010.00
Common FG-K and FG-KN options and accessories			
FG-01	Wall mount kit (bracket)		\$100.00
FG-23	RS-232C Interface		\$175.00
FG-24	Comparator/Setpoint Relay Outputs		\$85.00
FG-25	Display Wall Mount Bracket		\$115.00
FG-26	Carrying Handle		\$95.00
FG-27	Bluetooth Interface for standard FG-K Series		\$130.00
TB:662	AC Adapter (120V) - spare / replacement. Unit includes AC Adapter.		\$45.00
FV-06	AC Adapter (220V)		\$55.00
07:3007527A	FGK DISPLAY PROTECTIVE COVER		\$15.00
HVW-16SSC	Swivel/Lock Caster for 30 lb and below capacities (each)		\$50.00
HVW-17LSC	Swivel/Lock Caster for over 30 lb capacity (each)		\$60.00
AX-USB-2920-DIN	USB to DIN RS-232 Converter		\$75.00

HV-C/-CP Series

Platform Scale (Triple Range), NTEP #17-099, Measurement Canada AM-6088 (Models with -CP include integrated printer)

- Trade-legal: Measurement Canada AM-6088 and US NTEP CoC: 17-099
- 1 second stabilization, IP65 dust and water protection for base (load cell and stainless steel pan). Built-in printer with -CP models.
- Battery operation (-C models) with 4 D cells (not included), up to 1200 hours run time.
- Backlit LCD display, bright multi-colored 5-step LED comparator lights. Alphanumeric keypad.
- Three Interface slots for optional communication interfaces: USB, RS-232, relay.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
HV-15KC	6/15/30 lb x 0.002/0.005/0.01 lb 3/6/15 kg x 0.001/0.002/0.005 kg	\$1,080.00	B
HV-60KC	30/60/150 lb x 0.01/0.02/0.05 lb 15/30/60 kg x 0.005/0.01/0.02 kg	\$1,080.00	B
HV-200KC	150/300/500 lb x 0.05/0.1/0.2 lb 60/150/220 kg x 0.02/0.05/0.1 kg	\$1,360.00	B
HV-15KCP	6/15/30 lb x 0.002/0.005/0.01 lb 3/6/15 kg x 0.001/0.002/0.005 kg	\$1,740.00	B
HV-60KCP	30/60/150 lb x 0.01/0.02/0.05 lb 15/30/60 kg x 0.005/0.01/0.02 kg	\$1,815.00	B
HV-200KCP	150/300/500 lb x 0.05/0.1/0.2 lb 60/150/220 kg x 0.02/0.05/0.1 kg	\$1,980.00	B

*Product options available on next page

HW-C/-CP Series

Platform Scale, high resolution, not legal-for-trade (Models with - CP include integrated printer)

- High resolution version up to 12,000 divisions. –CP models have built-in printer.
- IP65 protection for base (load cell and pan), stainless steel pan. Stabilizes within 1.5 seconds.
- Battery operation with 4 D cells (not included), up to 1200 hours run time, C models only.
- Backlit LCD display, bright multi-colored 5-step LED comparator lights. Alphanumeric keypad.
- Three Interface slots for optional communication interfaces. USB, RS-232, relay.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
HW-10KC	20 lb x 0.002 lb / 10 kg x 0.001 kg	9.8" x 9.8"	\$1,185.00
HW-60KC	150 lb x 0.01 lb / 60 kg x 0.005 kg	13" x 16.7"	\$1,275.00
HW-100KC	200 lb x 0.02 lb / 100 kg x 0.01 kg	15.4" x 20.9"	\$1,340.00
HW-200KC	500 lb x 0.05 lb / 220 kg x 0.02 kg	15.4" x 20.9"	\$1,425.00
HW-10KCP	20 lb x 0.002 lb / 10 kg x 0.001 kg	9.8" x 9.8"	\$1,790.00
HW-60KCP	150 lb x 0.01 lb / 60 kg x 0.005 kg	13" x 16.7"	\$1,920.00
HW-100KCP	200 lb x 0.02 lb / 100 kg x 0.01 kg	15.4" x 20.9"	\$2,030.00
HW-200KCP	500 lb x 0.05 lb / 220 kg x 0.02 kg	15.4" x 20.9"	\$2,100.00
Common HV-C/CP and HW-C/CP Options			
HVW-02CB	USB INTERFACE for HVW-C/CP		\$115.00
HVW-03C	RS-232C INTERFACE for HVW-C/CP		\$115.00
HVW-04C	COMPARATOR RELAY OUT/BUZZER for HVW-C/CP		\$195.00
HVW-08C	Extension Cable (5m)		\$410.00
HVW-11C	Wall-mount bracket		\$115.00
HVW-13	ROLLER CONVEYOR A36098 for 100kg & 200kg models		\$660.00
HVW-14	ROLLER CONVEYOR A36099 for 10kg - 60kg models		\$640.00
HVW-16SSC	Swivel/Lock Caster for 30 lb and below capacities (each)		\$50.00
HVW-17LSC	Swivel/Lock Caster for above 30 lb capacities (each)		\$60.00
TB:662	AC adapter (120V) - spare/replacement for HV/W-C ONLY, (P printer models require TB:278, below) unit ships with an AC Adapter.		\$45.00
TB:278	AC adaptor 100-240V for HV/W-CP series		\$65.00
FV-06	AC Adapter (220V) with type C euro-prongs		\$55.00
FT:10	2.5" Diameter Non-Skid Foot		\$25.00
AX-USB-2920-9P	USB to 9 Pin RS-232 Converter		\$65.00
AX-PP147-S	HV-CP HW-CP printer paper (5 rolls)		\$70.00

HIGH PRESSURE WASHDOWN PLATFORM SCALES

SW Series

High Pressure Washdown, IP69K Platform Scale

- Trade-legal: Measurement Canada AM-5845, US NTEP CoC 11-078
- IP69K - the highest level of dust and water protection, for high pressure/temp washdown.
- All stainless steel pan, base, column, load cell.
- NSF listed to meet HACCP requirements.
- AC or with optional rechargeable battery. Counting modes and multiple weighing units.
- Large multicolored LED display with traffic-light High/OK/ Low comparator
- 1-year A&D warranty.



Model Number	Description	Pan Size	List Price
SW-6KS	13 lb x 0.002 lb / 6 kg x 0.001 kg	9.8" x 9.8"	\$2,140.00
SW-15KS	33 lb x 0.005 lb / 15 kg x 0.002 kg	9.8" x 9.8"	\$2,155.00
SW-15KM	33 lb x 0.005 lb / 15 kg x 0.002 kg	11.8" x 15.0"	\$2,515.00
SW-30KM	66 lb x 0.01 lb / 30 kg x 0.005 kg	11.8" x 15.0"	\$2,515.00
SW-60KM	130 lb x 0.02 lb / 60 kg x 0.010 kg	11.8" x 15.0"	\$2,655.00
SW-150KM	330 lb x 0.05 lb / 150 kg x 0.02 kg	11.8" x 15.0"	\$2,760.00
SW-60KL	130 lb x 0.02 lb / 60 kg x 0.01 kg	15.4" x 20.9"	\$2,845.00
SW-150KL	330 lb x 0.05 lb / 150 kg x 0.02 kg	15.4" x 20.9"	\$2,965.00
SW-03	RS-232C plus comparator relay output		\$215.00
SW-04	RS-422/485		\$150.00
SW-D	SW Indicator		\$740.00
SW-11	Wall mount bracket		\$120.00
HC-06i	Rechargeable Battery Pack		\$55.00

WASHDOWN PLATFORM SCALES

HV-CWP Series

Stainless Steel Scale - (Triple Range), trade-legal: NTEP #17-099A2, Canada AM-6088r1

- Trade-legal: Measurement Canada AM-6088, US NTEP CoC 17-099
- Stainless bezel, weighing pan for IP65 washdown water and dust protection.
- Maintains IP65 even with optional communication interfaces: USB, RS-232, relay.
- Backlit LCD display, bright multi-colored 5-step LED comparator lights. Alphanumeric keypad.
- AC mains powered.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
HV-15KCWP	6/15/30 lb x 0.002/0.005/0.01 lb 3/6/15 kg x 0.001/0.002/0.005 kg	9.8" x 9.8"	\$1,400.00
HV-60KCWP	30/60/150 lb x 0.01/0.02/0.05 lb 15/30/60 kg x 0.005/0.01/0.02 kg	13" x 16.7"	\$1,605.00
HV-200KCWP	150/300/500 lb x 0.05/0.1/0.2 lb 60/150/220 kg x 0.02/0.05/0.1 kg	15.4" x 20.9"	\$1,670.00

HW-CWP

Stainless Steel Scale, Single Range, non-NTEP

- High resolution version of HV-CWP.
- Not trade-legal



Model Number	Description	Pan Size	List Price
HW-10KCWP	20 lb x 0.002 lb / 10 kg x 0.001 kg	9.8" x 9.8"	\$1,750.00
HW-60KCWP	150 lb 0.01 lb / 60 kg x 0.005 kg	13" x 16.7"	\$1,815.00
HW-100KCWP	200 lb x 0.02 lb / 100 kg x 0.01 kg	15.4" x 20.9"	\$1,905.00
HW-200KCWP	500 lb x 0.05 lb / 220 kg x 0.02 kg	15.4" x 20.9"	\$2,000.00
Common HV-CWP and HW-CWP Options			
HVW-02BCWP	USB Interface for HVW-CWP		\$175.00
HVW-03CWP	RS-232C Interface for HVW-CWP		\$175.00
HVW-04CWP	Comparator Relay Out/Buzzer for HVW-CWP		\$230.00
HVW-16SSC	Swivel/Lock Caster for 30 lb and below capacities (each)		\$50.00
HVW-17LSC	Swivel/Lock Caster for above 30 lb capacities (each)		\$60.00
FT:10	2.5" Diameter Non-Skid Foot (each)		\$25.00
AX-043005266	Mounting Bracket		\$80.00

FG-CWP Series

All Stainless Steel Scale with USB power

- All-stainless construction.
- IP67 dust and waterproof.
- Cleanable with 70% diluted alcohol.
- GMP/GLP compliant output to meet documentation requirements.
- USB power: AC adapter with cable (included), select external USB power packs, PC port.
- Bluetooth option.
- Traffic-light comparator for confident weighing.
- Auto-tare and negative comparison functions for "take-away" check weighing.
- Freely adjustable display angle.
- Password lock and key restriction functions.
- Weighs in kg, g, lb, oz, lb-oz.
- 2 year warranty.



Model Number	Description	Pan Size	List Price
FG-30KCMWP	Washdown scale 66 lb / 30 kg- USB powered	12" x 15"	\$1,715.00
FG-60KCLWP	Washdown scale 133 lb / 60 kg - USB powered	14.5" x 19.7"	\$1,750.00
FG-150KCLWP	Washdown scale 330 lb / 150 kg - USB powered	14.5" x 19.7"	\$2,090.00
FG-30KACMWP	Washdown scale 66 lb / 30 kg- AC powered	12" x 15"	\$1,750.00
FG-60KACLWP	Washdown scale 133 lb / 60 kg - AC powered	14.5" x 19.7"	\$1,790.00
FG-150KACLWP	Washdown scale 330 lb / 150 kg - AC powered	14.5" x 19.7"	\$1,945.00
FG-19CWP	Spin bracket for FG-CWP		\$390.00
FG-27CWP	Bluetooth interface for FG-CWP Washdown Scales (resides internally, not a dongle)		\$125.00
TB:301	Replacement AC adapter		\$45.00

SC Series

Washdown Scales, NTEP #11-048, Measurement Canada AM-5827

- Trade-legal: Measurement Canada AM-5827, US NTEP CoC 11-048.
- Stainless steel weigh pan, frame and column.
- IP68 dust and water protection with full washdown construction for easy cleaning.
- Battery operation with 6 D cells (not included), up to 4500 hours run time.
- Application modes include High/OK/Low comparator, counting, and multiple weighing units.
- Supersized LCD with 39 mm character height.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
SC-30KAM	66 lb x 0.01 lb / 30 kg x 0.005 kg	11.8" x 15"	\$1,740.00
SC-60KAM	130 lb x 0.02 lb / 60 kg x 0.01 kg	11.8" x 15"	\$1,805.00
SC-150KAM	330 lb x 0.05 lb / 150 kg x 0.02 kg	11.8" x 15"	\$1,835.00
SC-60KAL	130 lb x 0.02 lb / 60 kg x 0.01 kg	15.4" x 20.9"	\$1,875.00
SC-150KAL	330 lb x 0.05 lb / 150 kg x 0.02 kg	15.4" x 20.9"	\$1,905.00
SCE-02	Quick USB Interface		\$185.00
SCE-03	RS-232C Interface with comparator relay output		\$225.00

SE Series

Washdown Scale, NTEP (11-048) and Measurement Canada (AM-5827)

- Trade-legal: Measurement Canada AM-5827, US NTEP CoC 11-048.
- IP68 washdown construction with stainless steel weigh pan, epoxy coated frame and column.
- Battery operation with 6 D cells (not included), up to 4500 hours run time.
- Application modes include High/OK/Low comparator, counting, and multiple weighing units.
- Supersized LCD with 39 mm character height.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
SE-30KAM	66 lb x 0.01 lb / 30 kg x 0.005 kg	11.8" x 15"	\$1,175.00
SE-60KAM	130 lb x 0.02 lb / 60 kg x 0.01 kg	11.8" x 15"	\$1,185.00
SE-150KAM	330 lb x 0.05 lb / 150 kg x 0.02 kg	11.8" x 15"	\$1,290.00
SE-60KAL	130 lb x 0.02 lb / 60 kg x 0.01 kg	15.4" x 20.9"	\$1,255.00
SE-150KAL	330 lb x 0.05 lb / 150 kg x 0.02 kg	15.4" x 20.9"	\$1,320.00
SCE-02	Quick USB Interface		\$185.00
SCE-03	RS-232C Interface with comparator relay output		\$225.00

CHECKWEIGHING SCALES

FS-i Series

Checkweighing Scale, NTEP #07-104, Measurement Canada AM-5764

- Trade legal versions available: AM-5764, NTEP CoC 07-104. Order with "N" suffix.
- Tri-color High/OK/Low check-weighing scale with stainless steel pan, indicator housing (display).
- Analog progress bar display, memory for 99 items.
- IP65 dust and water rated. NSF listed to meet HACCP requirements.
- Operates on AC adapter or with optional rechargeable battery.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
FS-6Ki	15 lb x 0.001 lb / 6 kg x 0.0005 kg	9.8" x 9.8"	\$1,390.00
FS-15Ki	35 lb x 0.002 lb / 15 kg x 0.001 kg	9.8" x 9.8"	\$1,390.00
FS-30Ki	70 lb x 0.005 lb / 30 kg x 0.002 kg	15" x 11.8"	\$1,625.00
HC-06i	Rechargeable Battery Pack		\$55.00
FS-C	21.5" Extension Column (Only for FS-30Ki)		\$180.00
FS-01i	Wall Mount Bracket		\$190.00
FS-03i	RS-232C and Relay Output		\$150.00
FS-04i	RS-485 and Relay Output		\$185.00
FS-6KiN	15 lb x 0.005 lb / 6 kg x 0.002 kg NTEP Conversion; unit still labeled FS-6Ki	9.8" x 9.8"	\$1,390.00
FS-15KiN	35 lb x 0.01 lb / 15 kg x 0.005 kg NTEP Conversion; unit still labeled FS-15Ki	9.8" x 9.8"	\$1,390.00
FS-30KiN	70 lb x 0.02 lb / 30 kg x 0.01 kg NTEP Conversion; unit still labeled FS-30Ki	15" x 11.8"	\$1,625.00

Note: for LFT version must order / specify "N" suffix models

COUNTING SCALES

GC Series

Counting Scale with Multi-Interface accessories for expanded capabilities

- Automatic Item Search (AIS) instantly finds desired piece weight.
- Internal memory to stores up to 1,000 items.
- Memory capacity extension using a MicroSD card.
- Choice of power sources: AC adapter (included) or mobile battery via USB.
- Expand applications with AD-8561 Multi-Interfaces.
- Automatic Counting Accuracy Improvement (ACAI).
- Password lock and key lock functions.
- WinCT-Counting (freeware) for easy management of item data.
- 2 year warranty.



Model Number	Description	Pan Size	List Price
GC-3K	3 x 0.0005 kg Counting Scale, Min. Unit Piece Weight 0.005g	11.8" x 8.3"	\$1,110.00
GC-6K	6 x 0.001 kg Counting Scale, Min. Unit Piece Weight 0.01g	11.8" x 8.3"	\$1,110.00
GC-15K	15 x 0.002 kg Counting Scale, Min. Unit Piece Weight 0.02g	11.8" x 8.3"	\$1,110.00
GC-30K	30 x 0.005 kg Counting Scale, Min. Unit Piece Weight 0.05g	11.8" x 8.3"	\$1,110.00
GC-08	GC load cell extension cable 2m		\$80.00
GC-14	Brackets for AD-8561 with cable		\$145.00
AD-8561-MI02	Multi-interface 02; USB-A and USB-B for scanner and PC		\$50.00
AD-8561-MI04	Multi-interface 04; USB-A and terminal block for comparator relay		\$330.00
AD-8561-MI05	Multi-interface 05; USB-A and external base terminal block		\$330.00
TB:301	Replacement AC adapter		\$45.00

HC-I Series

Economy Counting Scale

- Accuracy and simple operation for small parts counting, stainless steel weighing pan.
- Internal resolution: up to 1/750,000, count objects down to 0.005g.
- Large LCD, 3-window detachable display shows piece counting, weight, unit weight, ID number, comparison result by "HI", "OK" or "LO", keypad. Memory for 99 products.
- Operates on AC adapter (included) or with optional rechargeable battery.
- Application modes include parts counting with Automatic Counting Accuracy Improvement (ACAI), Hi/Low comparator, accumulation, and multiple weighing units.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
HC-3Ki	6 lb x 0.001 lb / 3 kg x 0.0005 kg, Min. Unit Piece Weight 0.005g	11.8" x 8.3"	\$845.00
HC-6Ki	15 lb x 0.002 lb / 6 kg x 0.001 kg, Min. Unit Piece Weight 0.01g	11.8" x 8.3"	\$845.00
HC-15Ki	30 lb x 0.005 lb / 15 kg x 0.002 kg, Min. Unit Piece Weight 0.02g	11.8" x 8.3"	\$845.00
HC-30Ki	60 lb x 0.01 lb / 30 kg x 0.005 kg, Min. Unit Piece Weight 0.05g	11.8" x 8.3"	\$845.00
HC-03i	RS-232C for HC-i		\$95.00
HC-04i	RS-232C relay output for HC-i		\$120.00
HC-06i	Rechargeable Battery Pack		\$55.00
HC-08i	Extension Cable (2m)		\$70.00
TB:662	AC Adapter (120V) - spare / replacement. Unit includes AC Adapter.		\$45.00
TB:164	AC Adapter (220V)		\$65.00
AX-USB-2920-DIN	USB to DIN RS-232 Converter		\$75.00

HD Series

High Capacity Counting Scale

- Fast and simple to use with internal resolution up to 1/120,000 for accurate parts counting.
- "B" versions have keyboard and 3 displays.
- Detachable display and large stainless steel pan for oversize containers.
- Application modes include parts counting with Automatic Counting Accuracy Improvement (ACAI), Hi/Low comparator, accumulation, and multiple weighing units.
- Battery operation with 6 C cells (not included), up to 200 hours run time. AC adapter included.
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
HD-12KA	30 lb x 0.005 lb / 12 kg x 2 g (Single Display, no numeric keypad)	11.8" x 15"	\$1,225.00
HD-30KA	60 lb x 0.01 lb / 30 kg x 5 g (Single Display, no numeric keypad)	11.8" x 15"	\$1,225.00
HD-60KA	120 lb x 0.02 lb / 60 kg x 10 g (Single Display, no numeric keypad)	11.8" x 15"	\$1,225.00
HD-12KB	30 lb x 0.005 lb / 12 kg x 2 g (3 Displays, with numeric keypad)	11.8" x 15"	\$1,360.00
HD-30KB	60 lb x 0.01 lb / 30 kg x 5 g (3 Displays, with numeric keypad)	11.8" x 15"	\$1,360.00
HD-60KB	120 lb x 0.02 lb / 60 kg x 10 g (3 Displays, with numeric keypad)	11.8" x 15"	\$1,360.00
HD-03	Serial Interface (RS-232C/Current Loop)		\$145.00
HD-04	Comparator Output		\$215.00
HD-05	20mA Current Loop		\$145.00
HD-06	Carrying Handle		\$110.00
TB:662	AC Adapter (120V) - spare / replacement. Unit includes AC Adapter.		\$45.00
TB:164	AC Adapter (220V)		\$65.00
AX-USB-2920-25P	USB to 25 pin RS-232 Converter		\$100.00

Note: can also use six (6) "C" batteries (not included)

FCi Series

High Resolution Counting Scale

- Internal resolution 1/1,000,000.
- Large memory for up to 500 IDs (ID, name, unit weight, tare, comparator limit).
- Application modes include parts counting with Automatic Counting Accuracy Improvement (ACAI), Hi/Low comparator, accumulation, and multiple weighing units.
- Operates on AC adapter (included) or with optional rechargeable battery.
- 2-year A&D warranty.



Model Number	Description	Min. Unit Piece Weight (internal resolution)	Pan Size	List Price
FC-500i	1 lb x 0.0001 lb / 500 g x 0.05 g	0.0005 g	8" x 6"	\$1,525.00
FC-1000i	2 lb x 0.0002 lb / 1 kg x 0.1 g	0.001 g	8" x 6"	\$1,525.00
FC-2000i	5 lb x 0.0005 lb / 2 kg x 0.2 g	0.002 g	11.8" x 11"	\$1,525.00
FC-5000i	10 lb x 0.001 lb / 5 kg x 0.5 g	0.005 g	11.8" x 11"	\$1,525.00
FC-10Ki	20 lb x 0.002 lb / 10 kg x 1 g	0.01 g	11.8" x 11"	\$1,525.00
FC-20Ki	50 lb x 0.005 lb / 20 kg x 2 g	0.02 g	11.8" x 11"	\$1,525.00
FC-50Ki	100 lb x 0.01 lb / 50 kg x 5 g	0.05 g	11.8" x 11"	\$1,525.00

See next table for options and accessories

FC-Si Series

High Resolution Counting Scale

- High performance - FC-Si models use the SHS sensor used in A&D laboratory balances.
- High internal resolution: 1/10,000,000 (FC-Si).
- Large memory for up to 500 IDs (ID, name, unit weight, tare, comparator limit).
- Application modes include parts counting with Automatic Counting Accuracy Improvement (ACAI), Hi/Low comparator, accumulation, and multiple weighing units.
- Operates on AC adapter (included) or with optional rechargeable battery.
- 2-year A&D warranty.



Model Number	Description	Min. Unit Piece Weight (internal resolution)	Pan Size	List Price
FC-500Si	1 lb x .00005 lb / 500 g x 0.02 g	0.0001g	5" x 5"	\$2,100.00
FC-5000Si	10 lb x .0005 lb / 5kg x 0.2 g	0.001g	6.5" x 6.5"	\$2,100.00
FC-02i	Rechargeable Battery Pack			\$495.00
FC-03i	Second and Third RS-232C			\$280.00
FC-04i	RS-232C/Comparator Relays			\$330.00
FC-05i	Remote Scale Connection			\$180.00
AD-8920	Universal Remote Display			\$155.00
CC:110	Demo/Carrying / Storage Case			\$45.00
TB:636	AC Adapter (110V) - Standard with unit			\$65.00
TB:137	AC Adapter (220V) FCi, FC-Si, FR, FP, HX			\$65.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter			\$65.00

Weighing Component Products

PLATFORMS / BASES

SB Series

Load Cell Platform, Measurement Canada AM- 5473

- IP65 dust and water protection with easy-to-clean, removable stainless steel weighing platform.
- Four models ranging from 30lb to 500lb capacity.
- Legal for Trade in Canada AM-5473
- 2-year A&D warranty.



Model Number	Description	Pan Size	List Price
SB-15K10	30 lb / 15 kg	9.8" x 9.8"	\$535.00
SB-60K11	150lb / 60 kg	13" x 16.7"	\$700.00
SB-100K12	200 lb / 100 kg	15.4" x 20.8"	\$885.00
SB-200K12	450 lb / 220 kg	15.4" x 20.8"	\$885.00
FT:10	2.5" Diameter Non-Skid Foot (Each) for SB-60K11, SB-100K12 and SB-200K12 Models		\$25.00

INDICATORS

AD-4328

Batch Weighing Indicator (NTEP CoC#99-074) (Canada AM-5252) (While Supplies Last)

- Legal-for-trade: NTEP CoC #99-074, Measurement Canada AM-5252
- 1/10,000 resolution with 1/20,000 available upon request.
- 2-year A&D warranty.



Model Number	Description	List Price
AD-4328	Digital Weighing Indicator	\$655.00
AD-4328-01	BCD Output (Open Collector)	\$250.00
AD-4328-02	Comparator Output (Open Collector)	\$85.00
AD-4328-03	RS-422/485 Serial Interface with Comparator (Open Collector)	\$240.00
AD-4328-04	20mA Output and Comparator (Relays, 50VDC / 100mA)	\$150.00
AD-4328-10	Indicator Stand	\$75.00
TB:662	AC Adapter (120V) - spare / replacement. Unit includes AC Adapter.	\$45.00
TB:164	AC Adapter (220V)	\$65.00
AX-USB-2920-25P	USB to 25 pin RS-232 Converter	\$100.00

AD-4329A

Digital Weighing Indicators

- 1/20,000 maximum displayed count resolution. 4-point digital linearization.
- Set-point comparison for batching applications. Powers up to 8 units of load cells.
- Controllable via external input. Standard RS-232 interface.
- VFD readout, mount on panel, column, or desktop.
- AC power- order preferred 120V, 220V, 240Vac
- 2-year A&D warranty.



Model Number	Description	List Price
AD-4329A	Digital Weighing Indicator	\$875.00
AD-4329A-01	BCD Output	\$290.00
AD-4329A-02	Relay Outputs	\$130.00
AD-4329A-03	RS-422/485 Interface	\$45.00
AD-4329A-07	Analog Output	\$100.00

AD-4401A

Digital Weighing Indicator

- High display resolution up to 1/16,000. Up to 1 million counts of A/D resolution.
- 100 times/sec. high speed sampling.
- VFD readout with sub display provides feedback on all set points and simplifies calibration.
- 2-year A&D warranty.



Model Number	Description	List Price
AD-4401A	Digital Weighing Indicator	\$1,650.00
AD-4401A-01	Parallel BCD Output (Open Collector)	\$345.00
AD-4401A-03	RS-422/485 Serial Interface	\$320.00
AD-4401A-04	RS-232C Serial Interface	\$295.00
AD-4401A-07	Analog Output (4~20mA)	\$470.00
AD-4401-10	Adapter Bracket to replace AD-4323	\$215.00
AD-4401A-23	Ethernet	\$100.00
AX-USB-2920-25P	USB to 25 pin RS-232 Converter	\$95.00

AD-4402

Batch Weighing Indicator

- Fast and precise with 100 A/D conversions per second. Batch weighing with 11 control inputs.
- Large easy Vacuum Fluorescent Display, sub display shows weight and operational details.
- 10-digit keypad and function buttons. Stores 100 data points for raw materials and recipes.
- Pre-programmed with multiple sequences and functions.
- 2-year A&D warranty.



Model Number	Description	List Price
AD-4402	Digital Weighing Indicator	\$2,450.00
AD-4402-01	BCD Output	\$510.00
AD-4402-02	Relay Output	\$510.00
AD-4402-03	RS-422/485	\$510.00
AD-4402-04	RS-232C	\$510.00
AD-4402-05	Parallel I/O	\$510.00
AD-4402-07	Analog Output	\$660.00
AD-4402-10	Adapter plate/bracket to put in place of AD-4325A/V	\$250.00
AD-4402-20	CC Link Interface	\$885.00
AD-4402-21	Device Net Interface	\$1,320.00
AD-4402-22	PROFIBUS Interface	\$1,180.00
AX-USB-2920-25P	USB to 25 pin RS-232 Converter	\$100.00

AD-4405A

Low-cost Digital Weighing Indicator

- 1/20,000 division display resolution.
- Built-in printer option.
- 2-year A&D warranty.



Model Number	Description	List Price
AD-4405A	Indicator, General Purpose, with RS-232C standard	\$720.00
AD-4405-03	RS-422/485/Relays (replaces standard RS-232C)	\$320.00
AD-4405-05	RS-232C with relays (replaces standard RS-232C)	\$270.00
AD-4405-06	Built-in Printer (with time and date)	\$690.00
AD-4405-07	Analog Output (4-20mA) (replaces standard RS-232C)	\$505.00
AD-4405-10	Display Wall Mount Kit	\$360.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter	\$65.00

AD-4406A

Digital Weighing Indicator (NTEP CoC#04-034)

- Multi interval 2 weighing ranges selectable.
- Legal-for-Trade in US NTEP CoC 04-034
- Accumulation Function-stored into memory automatically or manually.
- Comparator Function Upper/Lower and High/OK/Low.
- 2-year A&D warranty.



Model Number	Description	List Price
AD-4406A	Indicator, General Purpose	\$420.00
AD-4406-01A	Wall Mount Bracket	\$25.00
AD-4406-03	RS-422/485/Relays (replaces standard RS-232C)	\$335.00
AD-4406-05	RS-232C with relays (replaces standard RS-232C)	\$285.00
AD-4406-07	Analog Output (4-20mA) (replaces standard RS-232C)	\$505.00
TB:662	AC Adapter (120V) - spare / replacement. Unit ships with an AC Adapter.	\$45.00
TB:164	AC Adapter (220V)	\$65.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter	\$65.00

AD-4407A

Digital Weighing Indicator (NTEP CoC#04-034) (Canada AM-5661)

- Legal-for-Trade in US NTEP CoC 04-034 class III.
- IP65 dust and water protection. Stainless steel, with display resolution of 1/20,000.
- Large VFD with 10-digit keypad and function buttons for easy operation. RS-232C interface.
- Application modes include pre-programmed Accumulation, Comparator, Counting and Batching.
- 2-year A&D warranty.



Model Number	Description	List Price
AD-4407A	Indicator, Washdown, Stainless Steel Housing, 0-9 keys	\$905.00
AD-4407-03	RS-422/485/Relays (replaces standard RS-232C)	\$340.00
AD-4407-05	RS-232C with relays (replaces standard RS-232C)	\$280.00
AD-4407-07	Analog Output (4-20mA) (replaces standard RS-232C)	\$515.00

AD-4410

Weighing Indicator

- Powerful vibration-cancelling function (High Performance Digital Filter).
- IP65 dust and water protection. High speed and accuracy sampling (100 times/second).
- High visibility LCD, RS-232C Application mode is Hi/Low comparator.
- 2-year A&D warranty.



Model Number	Description	List Price
AD-4410	Indicator, General Purpose	\$1,835.00
AD-4410-03	RS-485 with DIN Connector	\$245.00
AD-4410-04	RS-232C with DIN Connector	\$220.00
AD-4410-11	AD-4410 Stand with Mounting Hole	\$185.00

AD-4411

Weighing Indicators for Ethernet Based Field Networks

- Output load cells to Ethernet-based field networks.
- Easy connection to 4- or 6-wire load cells.
- HPDF - High Performance Digital Filter - eliminates vibration errors.
- Convenient rear USB port to update settings.
- DIN-rail mounting at a compact 96mm x 48mm.
- WinCT-4411 freeware utility for fast set-up.
- 2-year A&D warranty.



Model Number	Description	List Price
AD-4411-ECT	Indicator with EtherCAT	\$1,525.00
AD-4411-EIP	Indicator with Ethernet/IP	\$1,525.00
AD-4411-PRT	Indicator with PROFINET	\$1,525.00
AD-8552EIP	AD-4212 RS-232 to Ethernet/IP Convertor	\$1,565.00
AD-8551R	Modbus RTU Convertor	\$410.00

WASHDOWN INDICATORS

FG-D-CWP (NEW)

IP67 Washdown Indicator

- IP67 rated dustproof and washdown, immersible in sink to depth of 1 m.
- Easy to disinfect with 70% diluted alcohol.
- Adjustable stand included for wall, column or floor post mounting.
- Power 3 ways: AC adapter, USB port, mobile power bank via 3m USB cable.
- Drive up to 4 load cells.
- Units: kg, g, lb, oz, pcs.
- 2-year A&D warranty.



Model Number	Description	List Price
FG-D-CWP	IP67 Washdown indicator	\$740.00

FS-D

Digital Weighing Indicator (NSF)

- IP65 dust and water protection with stainless steel housing.
- NSF listed to meet HACCP requirements.
- Large Backlit LCD with Hi/Ok/Lo comparator, large comparator lights and buzzer.
- 99 item memory, rechargeable battery option.
- 2-year A&D warranty.



Model Number	Description	List Price
FS-D	FS-D Indicator	\$1,080.00
HC-06i	Rechargeable Battery Pack	\$55.00
FS-03i	RS-232C and Relay Output*	\$150.00
FS-04i	RS-485 and Relay Output*	\$185.00

Note: * FS-03i and FS-04i cannot be used at the same time.

SW-D

Digital Weighing Indicator (NSF)

- IP69K - the highest level of dust and water protection, for high pressure/temp washdown.
- NSF listed to meet HACCP requirements.
- Operates on AC or with optional rechargeable battery. Large multicolored LED display.
- Application modes include Hi/Low comparator, counting, and multiple weighing units.
- 1-year A&D warranty.



Model Number	Description	List Price
SW-D	SW-D Indicator	\$740.00

PRODUCTION WEIGHING SYSTEMS

AD-4212A / B / C / D / F (NEW) / L Series

- Portfolio of fast, precise, compact, durable weighing sensors.
- Ensures maximum efficiency of your production line.
- For applications in high-speed weighing, high-speed check weighing, filling, dosing.
- Precise weighing in confined spaces such as fume hoods and gloves bags.
- 5-year A&D warranty.



Model Number	Description	List Price
AD-4212A-100	110 g x 0.1 mg with RS-232C	\$6,370.00
AD-4212A-200	210 g x 0.001 g with RS-232C	\$5,600.00
AD-4212A-600	610 g x 0.001 g with RS-232C	\$6,180.00
AD-4212A-1000	1100 g x 0.001 g with RS-232C	\$6,405.00
AD-4212B-23	21 g x 0.001 mg with RS-232C	\$15,060.00
AD-4212B-101	31 / 110 g x 0.01 / 0.1 mg with RS-232C	\$9,375.00
AD-4212B-102	110 g X 0.01 mg with RS-232C with 304 SS Weighing Sensor	\$9,840.00
AD-4212B-201	210 g X 0.1 mg with RS-232C with 304 SS Weighing Sensor	\$7,535.00
AD-4212B-301	310 g x 0.1 mg with RS-232C with 304 SS Weighing Sensor	\$8,140.00
AD-4212C-300	320 g x 1 mg with RS-232C (without Remote Display)	\$4,500.00
AD-4212C-301	51 g / 320 g x 0.0001 g / 0.001 g with RS-232C (without Remote Display)	\$6,790.00
AD-4212C-600	620 g x 0.001 g with RS-232C (without Remote Display)	\$6,790.00
AD-4212C-3000	3200 g x 0.01 g with RS-232C (without Remote Display)	\$4,500.00
AD-4212C-3100	510 g / 3200 g x 0.001 g / 0.01 g with RS-232C (without Remote Display)	\$6,790.00
AD-4212C-6000	6200 g x 0.01 g with RS-232C (without Remote Display)	\$6,790.00
AD-4212D-301S	WEIGHING SENSOR ONLY 320g x 0.1mg	\$6,825.00
AD-4212D-302S	WEIGHING SENSOR ONLY 320g x 10ug	\$8,060.00
AD-4212D-32S	WEIGHING SENSOR ONLY 32g x 10ug / 5.1g x 1ug	\$7,660.00
AD-4212D-33S	WEIGHING SENSOR ONLY 32g x 1ug	\$12,305.00
AD-4212F-6203D	Sensor 510g x 0.001g / 6200g x 0.01g with Smart Range and direct digital output	\$4,893.00
AD-4212F-10202	Sensor 10,100g x 0.01g with direct digital output	\$4,893.00
AD-4212F-22001	Sensor 22,000g x 0.1g with direct digital output	\$4,893.00
AD-4212L-R100	Weigh module 100g x 1mg DIN rail Modbus controller	\$3,240.00
AD-4212L-R50	Weigh module 50g x 1mg DIN rail Modbus controller	\$3,240.00
AD-8922A	Remote Controller (with display and keypad)	\$775.00
AD-4212A-01	BCD output (factory installed, 4 month lead-time)	\$655.00
AD-4212A-04	5-level comparator contact output	\$395.00
AD-4212A-07	Extension Cable, 3 meter	\$195.00
AD-4212A-08	Ethernet Interface with WinCT-Plus	\$340.00
AD-4212A-19	Stainless steel breeze break (200g only)	\$125.00
AD-4212F-29	RS-485 Interface for daisy-chain connection	\$284.00
AX-USB-2920-25P	USB to 25 pin RS-232 Converter	\$100.00

LOAD CELLS

LC

Single Point Load Cells

- Single Point Cells for various applications.
- Range from 1.2 lb / 600 g to 1200 lb/600 kg.
- Contact A&D for our full 48-page catalog.
- 1-year A&D warranty.



Model Number	Description	List Price
LC-4101-G600	1.2 lb / 600 g	\$270.00
LC-4101-K1.5	3 lb / 1.5 kg	\$270.00
LC-4101-K003	6 lb / 3 kg	\$270.00
LC-4101-K006	12 lb / 6 kg	\$270.00
LC-4101-K015	30 lb / 15 kg	\$280.00
LC-4102-K010	20 lb / 10 kg	\$330.00
LC-4102-K015	30 lb / 15 kg	\$330.00
LC-4102-K030	60 lb / 30 kg	\$305.00
LC-4102-K060	120 lb / 60 kg	\$315.00
LC-4102-K150	330 lb / 150 kg	\$295.00
LC-4103-K060	120 lb / 60 kg	\$370.00
LC-4103-K100	200 lb / 100 kg	\$370.00
LC-4103-K150	300 lb / 150 kg	\$380.00
LC-4204-K300	600 lb / 300 kg	\$640.00
LC-4204-K600	1200 lb / 600 kg	\$720.00

Many more models and series available. Contact A&D for our complete 48-page Load Cell Catalogue



Contact A&D for a copy of our 48-page load cell catalogue

Load Cell Accessories

Model Number	Description	List Price
JM:NJC-207-RM	Load Cell Connector (Male)	\$20.00
JM:NJC-207-PF	Load Cell Connector (Female)	\$55.00
AD-4382	Summing Box (60-90 day lead time)	\$545.00
AD-4379SUS	Stainless summing box accepts up to 4 load cells	\$880.00

Weighing Accessories and Adapters

ACCESSORIES

Model Number	Description	List Price
AD-8526-9	RS-232 to Ethernet Adapter D-Sub 9	\$640.00
AD-8526-25	RE-232 to Ethernet Adapter D-Sub 25	\$640.00
AD-8526-7	RS-232 to Ethernet Adapter 7-pin DIN	\$640.00
AD-8920A	Universal Remote Display	\$325.00
AD-8922A	Remote Controller (with display and keypad)	\$775.00
AD-100-2	Anti-Theft Device - Confirm compatibility with model before ordering or consult factory.	\$95.00
AD-1653	Density Determination Kit	\$680.00
AD-1671	Anti-vibration Table for Balances (slab with feet)	\$1,620.00
AD-1672	Tabletop Breeze Break (27" wide x 28.5" high x 24" deep - outer dimensions)	\$,2375.00
AD-1676	External Draft Enclosure	\$725.00
AD-1682	Rechargeable Battery Pack (external)	\$825.00
AD-1683A	Static Eliminator, 4 electrodes with option for external IN (no-touch) switch	\$1,445.00
AD-1687	Weighing Environment Logger	\$1,120.00
AD-1688	Weighing Data Logger	\$370.00
SW:128	Foot Switch	\$100.00
AX-KO2377-100	AD-8920 RS-232 Cable to EKi / FC-i / GH / HR-i / FX-i / FZ-i	\$70.00
AX-USB-2920-9P	USB to 9 pin RS-232 Converter	\$65.00
AX-USB-2920-25P	USB to 25 pin RS-232 Converter	\$100.00
AX-USB-2920-DIN	USB to DIN RS-232 Converter	\$75.00

AC Adapters, 120V AC Input

Model Number	Description	List Price
TB:102C	<i>EK, EK-G, EW, EW-G, EK-H</i>	\$45.00
TB:174C	<i>AD-8121B, AD-8117, AD-8121A</i>	\$45.00
TB:636 (replacement for original TB-276)	<i>FC-i, FC-Si, GP, SV, SV-A, FR, FP, HA, HX</i>	\$45.00
TB:648 (replacement for original TB-248, TB-274, & TB-285)	<i>BA, BM, HR-A, HR-AZ, HR, GH, GR, GF, GX, GF-K, GX-K, GF/GX-A, GF/GX-M, GX-L, FX-i, FZ-i, MC, AD-4212 A/B/C, AD-8918, HF, HM, HP, HF-G, HRi</i>	\$50.00
TB:662 (replacement for original TB-262 & TB-275)	<i>EJ, EKi, EK-L, EWi, HCi, HD, FG-K, HLi, HL-WP, HT, HV/W-C (not -CP), SF/SG, SJ-HS, SK, SK-WP, AD-4328, AD-4406A, AD-4329, FG, FS, FW, HC, SG, HV-GL, HW-GL</i>	\$45.00
TB:301 (replacement for original TB-301)	<i>GC, FG-CWP,</i>	\$45.00
TB:278 (replacement for original TB-278)	AC adaptor 100-240V for HV/W-CP series	\$65.00
TB-220PA	Adapts US blade prongs to Type C round euro-prongs.	\$5.00
TB:TYPE C	Snap on type C euro prongs for TB-6XX AC adaptors	\$5.00
TB:TYPE G	Snap on type G BSI prongs for TB-6XX AC adaptors	\$5.50

Models in italics are discontinued models

Scales and balances ship with TB-2xx AC adapters and the above TB:6xx are replacement models.

AC Adapters, 220V AC Input

Model Number	Description	List Price
TB:119	<i>EK, EK-G, EW, EW-G, EK-H</i>	\$55.00
TB:648	BM, HR-A, HR-AZ, HR, GR, GF, GX, GF-K, GX-K, FX-i, FZ-i, MC, AD-4212 A/B/C, <i>AD-8918, HF, HM, HP, HF-G</i> (US-style blade prongs)	\$50.00
TB:249E	AC Adapter (220V) BM, HR-A, HR-AZ, HR, GR, GF, GX, GF-K, GX-K, FX-i, FZ-i, MC, AD-4212 A/B/C. <i>AD-8918, HF, HM, HP, HF-G</i> (Type C round EU-prongs)	\$55.00
FV-06	AC Adapter (220V) for FG-K, HL, HL-i, HT, SK, <i>HV-GL, HW-GL, FV, FW, HV, HW</i>	\$55.00
TB:137	AC Adapter (220V) <i>HR-i</i> , GP, SV-10/-100, SV-A, GH, FC-i, FC-Si. FC, <i>FP, FR, HA, HX</i>	\$65.00
TB:164	AC Adapter (220V) EJ, EK-i, EW-i, HC-i, HD, SF/SG, AD-4406, AD-4326, AD-4327, AD-4328, AD-4329. FS, HC.	\$65.00
TB-220PA	Adapts US blade prongs to Type C round euro-prongs.	\$5.00
TB:278	AC adaptor 100-240V for HV/W-CP series (add TB-220PA for type C prongs)	\$65.00

Models in italics are discontinued models

CABLES

Cable P/N	Connectors	FROM: A&D Series (with RS-232C)	TO: A&D Series (or other RS-232C Peripheral)	Length	List Price
KO:1131	25 D-SUB M to 25 D-SUB M	MS, MX, MF, ML, GR, HD, SV, AD-4328, AD-4329A, AD- 4401A, AD-4402	AD-1192 Printer	3ft.	\$50.00
AX-KO2116-090 (included with AD-8127 printer)	25 D-SUB M to 9 D-SUB F	MS, MX, MF, ML, GR, HD, SV, AD-4328, AD-4329A, AD- 4401A, AD-4402	AD-8127	3ft.	\$62.00
AX-KO2741-100 (included with AD-8127 printer)	9 D SUB M to 9 D SUB M	BA, BM, EJ, EK, EK-L, EWi, FXi, FZi, GX/GF-A, GH, GX-L. GX/GF-M HR-A, HR-AZ, HV/ HW-C, FCi, GC, AD-4405A, AD-4406A, AD-4410,	AD-8127	3ft.	\$62.00
AX-KO3285-320	bare lead to 9 D SUB M	FSi, HV/HW-CWP, SW, SC, SE, AD-4407A, FS-D, SW-D	AD-8127	6ft.	\$195.00
AX-KO5291-100	7 DIN M to 9 D SUB M	FG-K, HCi,	PC (9-pin)	3ft.	\$96.00
KO:WW25-25	25 D SUB M to D SUB F	MS, MX, MF, ML, GR, HD, SV, AD-4328, AD-4329A, AD-4401A, AD-4402	PC (25-pin)	6ft.	\$55.00
KO:WW9-25	25 D SUB F to 9 D SUB F	MS, MX, MF, ML, GR, HD, SV, AD-4328, AD-4329A, AD-4401A, AD-4402	PC (9-pin)	6ft.	\$55.00
KO:WW25-7	7 DIN M to 25 D SUB 25 F	FG-K, HCi,	AD-1192 Printer	6ft.	\$55.00
KO:WW9-7	7 DIN M to 9 D SUB M	FG-K, HCi,	PC (9-pin)	6ft.	\$55.00
KO:WW9-9	9 D SUB F to 9 D SUB F	BA, BM, EJ, EK, EK-L, EWi, FXi, FZi, GX/GF-A, GH, GX-L. GX/GF-M HR-A, HR-AZ, HV/ HW-C, FCi, GC, AD-4405A, AD-4406A, AD-4410,	PC (9-pin)	6ft.	\$50.00
AX:KO577A-200	25 D-SUB M to DIN 8 M	MS, MX, MF, ML, GR, HD, AD-4328, AD-4329A, AD-4401A,	AD-8118 Printer (discontinued)	6ft.	\$110.00
KO:256A (incldued with AD-8121B printer)	25 D-SUB M to special	MS, MX, MF, ML, AD-4328, AD-4329A, AD-4401A	AD-8121B Printer (discontinued)	4ft.	\$60.00
KO:359-200	7 DIN M to 8 DIN M	FS, FG, HV, HV-G, HW-G, HV-WP, HW-WP, AD-4326, AD-4327	AD-8118 Printer (4-20mA current loop)	6.5ft.	\$30.00
AX-USB-2920-9P	USB type A to 9 D SUB F	BA, BM, EJ, EK, EK-L, EWi, FXi, FZi, GX/GF-A, GH, GX-L. GX/GF-M HR-A, HR-AZ, HV/ HW-C, FCi, GC, AD-4405A, AD-4406A, AD-4410,	PC with USB	6ft.	\$75.00
AX-USB-2920-25P	USB type A to 25 D SUB F	MS, MX, MF, ML, GR, HD, SV, AD-4328, AD-4329A, AD-4401A, AD-4402	PC with USB	6ft.	\$90.00
AX-USB-2920-DIN	USB type A to 7 DIN M	FG-K, HCi,	PC with USB	6ft.	\$75.00
KO-USB-AB	type A to type B	USB Cable	PC with USB	5ft.	\$30.00

PRINTERS

AD-1192

- Compact and light weight
- Wall mountable
- RS-232C interface
- Uses standard 2¼" paper
- 1-year A&D warranty



Model Number	Description	List Price
AD-1192	Compact Printer (Cable not included, see below)	\$555.00
WP:PP137	Printer Paper (5 Rolls), AD-1192, AD-8127, AD-1191, AD-8118, AD-1131	\$15.00
AD-1192-1	Replacement Ribbon	\$35.00
AD-1192-2	Replacement Power Cord	\$75.00
KO:1131	RS-232C Interface Cable to Balances, Scales and Indicators with 25 pin connection	\$50.00
KO:WW9-25	RS-232C Interface Cable to BM/HR-A/Z, EJ/EK-i/EWi/FC-i/FCSi/GH/FX-i(WP)/FZi(WP)/JM	\$55.00
KO:WW25-7	RS-232C Interface Cable to FG-K /HCi /HV /HV-G /HW-G /HV-WP /HW-WP	\$55.00

AD-8127

- Built-in calendar and clock for printing date and time at any time
- Easy setting and operation with a numeric keypad and LCD display
- Dump printing mode to receive GLP/GMP/GCP/ISO compliant output from balance/scale
- Dust-free paper (AX-PP173-S) available for use in clean rooms
- Both D-Sub 25P, D-Sub 9P RS-232 cables included
- 1-year A&D warranty



Model Number	Description	List Price
AD-8127	Multi-Function Printer with LCD Display	\$1,040.00
AX-ERC-22B	Ink ribbon (set of 5 ribbons)	\$185.00
AX-KO2116-090	RS-232C cable (9pin - 25 pin, 0.9m)	\$65.00
AX-KO2741-100	RS-232C cable (9pin - 9 pin, 1m)	\$65.00
AX-KO5291-100	Current loop cable (9 pin - DIN, 1m)	\$100.00
SW:128	Foot Switch	\$100.00
WP:PP137	Printer Paper (5 Rolls)	\$15.00
AX-PP173-S	DUST-FREE PRINTER PAPER FOR AD-8127 (set of 10 rolls)	\$140.00
TB:636	AC Adapter (110V) - Standard with unit	\$45.00
TB:249E	AC Adapter (220V) - "C type" round euro-style prongs	\$55.00

WEIGHING CALIBRATION WEIGHTS

Calibration Weights

Model Number	Description	List Price
AD-1700-1MG-C	1mg - Class I weight with cert., leaf in vial	\$135.00
AD-1700-5MG-C	5mg - Class I weight, with cert., leaf in vial	\$135.00
AD-1700-10MG-C	10mg - Class I weight, with cert., leaf in vial	\$135.00
AD-1700-20MG-C	20mg - Class I weight, with cert., leaf in vial	\$135.00
AD-1700-50MG-C	50mg - Class I weight, with cert., leaf in vial	\$135.00
AD-1700-100MG-C	100mg - Class I weight, with cert., leaf in vial	\$135.00
AD-1700-200MG-C	200mg - Class I weight, with cert., leaf in vial	\$135.00
AD-1700-300MG-C	300mg - Class I weight, with cert., leaf in vial	\$135.00
AD-1700-500MG-C	500mg - Class I weight, with cert., leaf in vial	\$135.00
AD-1700-1G-C	1g - Class I weight, with cert., screw knob w/glove	\$145.00
AD-1700-2G-C	2g - Class I weight, with cert., screw knob w/glove	\$160.00
AD-1700-5G-C	5g - Class I weight, with cert., screw knob w/glove	\$175.00
AD-1700-10G-C	10g - Class I weight, with cert., screw knob w/glove	\$175.00
AD-1700-20G-C	20g - Class I weight, with cert., screw knob w/glove	\$175.00
AD-1700-50G-C	50g - Class I weight, with cert., screw knob w/glove	\$160.00
AD-1700-100G-C	100g - Class I weight, with cert., screw knob w/glove	\$175.00
AD-1700-200G-C	200g - Class I weight, with cert., screw knob w/glove	\$275.00
AD-1700-300G-C	300g - Class I weight, with cert., screw knob w/glove	\$290.00
AD-1700-400G-C	400g - Class I weight, with cert., screw knob w/glove	\$300.00
AD-1700-500G-C	500g - Class I weight, with cert., screw knob w/glove	\$300.00
AD-1700-1KG-C	1kg - Class I weight, with cert., w/glove	\$335.00
AD-1700-2KG-C	2kg - Class I weight, with cert., w/glove	\$390.00
AD-1700-3KG-C	3kg - Class I weight, with cert., w/glove	\$565.00
AD-1700-4KG-C	4kg - Class I weight, with cert., w/glove	\$840.00
AD-1700-5KG-C	5kg - Class I weight, with cert., w/glove	\$930.00
AD-1700-10KG-C	10kg - Class I weight, with cert., w/glove	\$2,485.00
AD-1700-20KG-C	20kg - Class I weight, with cert., screw knob w/glove	\$4,280.00

ASTM Calibration Weights Sets

Model Number	Description	List Price
AD-1800-1M-C	100g - 1mg set, 21 pieces, Class I, with cert., Kit, Tweezers, Glove	\$2,120.00
AD-1800-10M-C	100g - 10mg set, 17 pieces, Class I, with cert., Kit, Tweezers, Glove	\$1,795.00
AD-1800-1G-C	100g - 1g set, 9 piece set, Class I, with cert., Kit, Tweezers, Glove	\$1,175.00
AD-1800-10K-C	1kg - 1mg set, 25 pieces, Class I, with cert., Kit, Tweezers, Glove	\$4,560.00
AD-1800-10G-C	1kg - 1g set, 13 pieces, Class I, with cert., Kit, Tweezers, Glove	\$3,700.00
AD-1800-5M-C	5kg - 1mg set, 28 pieces - Class 0, with cert., Kit, Tweezers, Glove	\$11,960.00
AD-1800-5G-C	5kg - 1g set, 16 piece Class 0, with cert., Kit, Tweezers, Glove	\$9,795.00

* H denotes flat 25% discount for all partners

A&D Depot Repair

FLAT REPAIR RATES

See the Terms and Conditions for more information on repairs

Model Number	Price
FLR-AD-4212A/B	\$840.00
FLR-AD-4212C	\$777.00
FLR-BM	\$1,239.00
FLR-FC-I	\$539.00
FLR-FG-K	\$455.00
FLR-FG-K HEAD	\$343.00
FLR-FS-I	\$483.00
FLR-FX-I	\$420.00
FLR-FX-IWP	\$490.00
FLR-GF	\$546.00
FLR-GF-A	\$560.00
FLR-GF-K	\$588.00
FLR-GH	\$756.00
FLR-GP	\$770.00
FLR-GR	\$630.00
FLR-GX	\$602.00
FLR-GX-A	\$602.00
FLR-GX-AE	\$588.00
FLR-GX-K	\$602.00

Model Number	Price
FLR-HC-I	\$245.00
FLR-HD	\$371.00
FLR-HR-A	\$476.00
FLR-HR-AZ	\$588.00
FLR-HV/W-KC	\$406.00
FLR-HV/W-KCP	\$441.00
FLR-HV-KGL HEAD	\$280.00
FLR-HV-KGV HEAD	\$322.00
FLR-HV-WP	\$399.00
FLR-HVWP-HEAD	\$322.00
FLR-HW-WP	\$413.00
FLR-MC	\$784.00
FLR-ML/MF	\$623.00
FLR-MS/MX	\$700.00
FLR-RFR	\$210.00
FLR-SC	\$490.00
FLR-SE	\$462.00
FLR-SKWP	\$217.00
FLR-SW	\$602.00

A&D offers you speedy and cost-effective repairs for you and your customers. Most repairs received by us are now completed under our Flat Rate Repair program. If you don't see a product on the flat rate repair list here, please request an estimate.

We Offer:

- Reasonable Repair Rates
- Quick estimates for you and your customers
- 180 Day Warranty

It's as easy as 1, 2, 3:

1. Call your A&D Service Technician for an RMA number.
2. Issue a purchase order and send us the product.
3. Specify return method.

Terms and Conditions:

- Prices are subject to change without notice.
- In the event we can repair an instrument in 30 minutes or less, a reduced flat rate of \$275.00 will be charged.
- Replacements for missing Models, components and accessories are not included in Flat Rate prices.

Before you send an instrument in for repair, please get your customer's approval for the repair – you may feel he is better served by you selling him a new replacement unit. Reduced Flat Rate applies to A&D Weighing products only.

Product Warranty / Terms and Conditions



Balances = 5 Years
(2 years for Viscometers,
EK-L, EK-EP)



**Scales and
Indicators = 2 Years**
(1 year for PV, SW Series)



**Options and
Accessories = 1 Year**
(Includes Printers and Peripherals)



**Replacement Parts
and Repairs = 180 days**

A&D Engineering, Inc. ("A&D") warrants each product to be free from defects in materials and workmanship, and to conform to its published product specifications under normal use and service for the period listed above commencing from the date of purchase.

The foregoing warranty is extended only to the first purchaser and applies only to product failures due to defective materials and/or workmanship. Without limiting the generality of the foregoing, the foregoing warranty will not apply if, upon inspection, it is found that the product was: misused or abused; used for a purpose for which it was not designed; mishandled; placed in an improper environment; repaired by unauthorized personnel; or improperly installed or adjusted.

The sole and exclusive remedy in the event of any breach of the foregoing warranty shall be for the original purchaser to return the product to A&D, freight and insurance prepaid, for repair, replacement or credit, at A&D's option. Any product repaired or replaced under the foregoing warranty shall be shipped back to customer freight prepaid.

Except as provided above, A&D makes no warranty concerning the products, expressed or implied, including but not limited to the implied warranties or merchantability and fitness for a particular purpose. All such warranties are expressly disclaimed. In no event will A&D's liability under the foregoing warranty exceed the purchase price paid for the product giving rise to the liability.

IN NO EVENT SHALL A&D BE LIABLE FOR ANY LOSS, INCONVENIENCE, OR DAMAGE, INCLUDING WITHOUT LIMITATION DIRECT, OR INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, RESULTING FROM OR RELATED TO THE USE OR INABILITY TO USE A PRODUCT, WHETHER RESULTING FROM BREACH OF WARRANTY OR ANY OTHER LEGAL THEORY, EVEN IF A&D HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH INCONVENIENCE, DAMAGE OR LOSS.

Terms and Conditions:

- All prices are FOB; Duluth, Georgia.
- Returns will not be accepted unless a Return Goods Authorization Number (RMA) has been issued from a Customer Satisfaction Representative 800-726-3364.
- A 20% restocking charge will be applied to all returned goods.
- Suggested list prices, terms and specifications are subject to change without notice.

For complete terms and conditions including out of box failure please visit <https://andonline.com/support/terms-of-sale/>

2025 MAP Pricing Schedule

Product Line	Model Number	2025 List Price	MAP % off List	2025 MAP Price
BA-T	BA-6TE	\$21,500.00	10%	\$19,350.00
BA-T	BA-6DTE	\$19,995.00	10%	\$17,995.50
BA-T	BA-225TE	\$9,955.00	10%	\$8,959.50
BA-T	BA-225DTE	\$8,995.00	10%	\$8,095.50
BA-T	BA-125DTE	\$7,995.00	10%	\$7,195.50
BA	BA-6E	\$17,500.00	10%	\$15,750.00
BA	BA-6DE	\$15,995.00	10%	\$14,395.50
BA	BA-225	\$7,250.00	10%	\$6,525.00
BA	BA-225D	\$6,250.00	10%	\$5,625.00
BA	BA-125D	\$5,500.00	10%	\$4,950.00
BM	BM-5	\$14,500.00	10%	\$13,050.00
BM	BM-5D	\$12,950.00	10%	\$11,655.00
BM	BM-20	\$15,500.00	10%	\$13,950.00
BM	BM-22	\$14,500.00	10%	\$13,050.00
BM	BM-252	\$6,350.00	10%	\$5,715.00
BM	BM-200	\$4,600.00	10%	\$4,140.00
BM	BM-300	\$5,200.00	10%	\$4,680.00
BM	BM-500	\$6,150.00	10%	\$5,535.00
EK-AEP	EK-12KAEP	\$2,240.00	20%	\$1,792.00
EK-AEP	EK-3000AEP	\$2,010.00	20%	\$1,608.00
EK-AEP	EK-300AEP	\$1,895.00	20%	\$1,516.00
FXI	FX-1200I	\$1,295.00	30%	\$906.50
FXI	FX-1200IN	\$1,345.00	30%	\$941.50
FXI	FX-1200INC	\$1,345.00	30%	\$941.50
FXI	FX-120I	\$1,230.00	30%	\$861.00
FXI	FX-120IN	\$1,280.00	30%	\$896.00
FXI	FX-120INC	\$1,280.00	30%	\$896.00
FXI	FX-2000I	\$1,325.00	30%	\$927.50
FXI	FX-2000IN	\$1,375.00	30%	\$962.50
FXI	FX-2000INC	\$1,375.00	30%	\$962.50
FXI	FX-200I	\$1,315.00	30%	\$920.50
FXI	FX-200IN	\$1,355.00	30%	\$948.50
FXI	FX-200INC	\$1,365.00	30%	\$955.50
FXI	FX-3000I	\$1,415.00	30%	\$990.50
FXI	FX-3000IN	\$1,440.00	30%	\$1,008.00
FXI	FX-3000INC	\$1,440.00	30%	\$1,008.00
FXI	FX-300I	\$1,330.00	30%	\$931.00
FXI	FX-300IN	\$1,345.00	30%	\$941.50
FXI	FX-300INC	\$1,345.00	30%	\$941.50
FXI	FX-5000I	\$1,600.00	30%	\$1,120.00
FXI	FX-500I	\$1,595.00	30%	\$1,116.50
FXWP	FX-1200IWP	\$1,660.00	25%	\$1,245.00
FXWP	FX-120IWP	\$1,670.00	25%	\$1,252.50

Product Line	Model Number	2025 List Price	MAP % off List	2025 MAP Price
FXWP	FX-2000IWP	\$1,755.00	25%	\$1,316.25
FXWP	FX-200IWP	\$1,755.00	25%	\$1,316.25
FXWP	FX-3000IWP	\$1,870.00	25%	\$1,402.50
FXWP	FX-300IWP	\$1,875.00	25%	\$1,406.25
FZI	FZ-1200I	\$1,540.00	30%	\$1,078.00
FZI	FZ-120I	\$1,485.00	30%	\$1,039.50
FZI	FZ-2000I	\$1,590.00	30%	\$1,113.00
FZI	FZ-200I	\$1,560.00	30%	\$1,092.00
FZI	FZ-3000I	\$1,640.00	30%	\$1,148.00
FZI	FZ-300I	\$1,600.00	30%	\$1,120.00
FZI	FZ-5000I	\$1,870.00	30%	\$1,309.00
FZI	FZ-500I	\$1,825.00	30%	\$1,277.50
FZWP	FZ-1200IWP	\$2,050.00	25%	\$1,537.50
FZWP	FZ-120IWP	\$2,050.00	25%	\$1,537.50
FZWP	FZ-2000IWP	\$2,130.00	25%	\$1,597.50
FZWP	FZ-200IWP	\$2,130.00	25%	\$1,597.50
FZWP	FZ-3000IWP	\$2,305.00	25%	\$1,728.75
FZWP	FZ-300IWP	\$2,300.00	25%	\$1,725.00
GFM	GF-8202MD	\$3,365.00	25%	\$2,523.75
GFM	GF-8202M	\$3,985.00	25%	\$2,988.75
GFM	GF-10202M	\$4,275.00	25%	\$3,206.25
GFM	GF-12001M	\$3,605.00	25%	\$2,703.75
GFM	GF-22001M	\$3,830.00	25%	\$2,872.50
GFM	GF-32001M	\$4,480.00	25%	\$3,360.00
GFM	GF-32001MD	\$3,375.00	25%	\$2,531.25
GFA	GF-124A	\$2,705.00	20%	\$2,164.00
GFA	GF-224A	\$3,045.00	20%	\$2,436.00
GFA	GF-324A	\$3,600.00	20%	\$2,880.00
GFA	GF-123A	\$1,405.00	20%	\$1,124.00
GFA	GF-203A	\$1,590.00	20%	\$1,272.00
GFA	GF-303A	\$1,795.00	20%	\$1,436.00
GFA	GF-403A	\$1,945.00	20%	\$1,556.00
GFA	GF-603A	\$2,290.00	20%	\$1,832.00
GFA	GF-1003A	\$2,755.00	20%	\$2,204.00
GFA	GF-1603A	\$3,545.00	20%	\$2,836.00
GFA	GF-1202A	\$1,610.00	20%	\$1,288.00
GFA	GF-2002A	\$1,655.00	20%	\$1,324.00
GFA	GF-3002A	\$1,710.00	20%	\$1,368.00
GFA	GF-4002A	\$2,195.00	20%	\$1,756.00
GFA	GF-6002A	\$2,680.00	20%	\$2,144.00
GFA	GF-10002A	\$3,305.00	20%	\$2,644.00
GFA	GF-6001A	\$1,825.00	20%	\$1,460.00
GFA	GF-10001A	\$1,910.00	20%	\$1,528.00
GFA	GF-203AWP	\$1,980.00	20%	\$1,584.00
GFA	GF-403AWP	\$2,310.00	20%	\$1,848.00

Product Line	Model Number	2025 List Price	MAP % off List	2025 MAP Price
GFA	GF-603AWP	\$2,645.00	20%	\$2,116.00
GFA	GF-2002AWP	\$2,030.00	20%	\$1,624.00
GFA	GF-4002AWP	\$2,475.00	20%	\$1,980.00
GFA	GF-6002AWP	\$3,020.00	20%	\$2,416.00
GFA	GF-6001AWP	\$2,200.00	20%	\$1,760.00
GF-AN	GF-123AN	\$1,500.00	20%	\$1,200.00
GF-AN	GF-203AN	\$1,645.00	20%	\$1,316.00
GF-AN	GF-303AN	\$1,850.00	20%	\$1,480.00
GF-AN	GF-603AN	\$2,345.00	20%	\$1,876.00
GF-AN	GF-1202AN	\$1,665.00	20%	\$1,332.00
GF-AN	GF-10001AN	\$1,960.00	20%	\$1,568.00
GF-AN	GF-2002AN	\$1,705.00	20%	\$1,364.00
GF-AN	GF-3002AN	\$1,760.00	20%	\$1,408.00
GF-AN	GF-4002AN	\$2,245.00	20%	\$1,796.00
GF-AN	GF-6002AN	\$2,735.00	20%	\$2,188.00
GF-AN	GF-6001AN	\$1,875.00	20%	\$1,500.00
GF-AN	GF-10001AN	\$1,960.00	20%	\$1,568.00
GH	GH-120	\$4,185.00	20%	\$3,348.00
GH	GH-200	\$4,740.00	20%	\$3,792.00
GH	GH-202	\$6,270.00	20%	\$5,016.00
GH	GH-252	\$6,900.00	20%	\$5,520.00
GH	GH-300	\$5,575.00	20%	\$4,460.00
GR	GR-120	\$3,535.00	25%	\$2,651.25
GR	GR-200	\$4,010.00	25%	\$3,007.50
GR	GR-202	\$5,680.00	25%	\$4,260.00
GR	GR-300	\$4,995.00	25%	\$3,746.25
GXM	GX-8202MD	\$3,655.00	25%	\$2,741.25
GXM	GX-8202M	\$4,180.00	25%	\$3,135.00
GXM	GX-10202M	\$4,490.00	25%	\$3,367.50
GXM	GX-12001M	\$3,795.00	25%	\$2,846.25
GXM	GX-22001M	\$4,115.00	25%	\$3,086.25
GXM	GX-32001M	\$4,750.00	25%	\$3,562.50
GXM	GX-32001MD	\$3,680.00	25%	\$2,760.00
GXA	GX-124A	\$3,160.00	20%	\$2,528.00
GXA	GX-224A	\$3,365.00	20%	\$2,692.00
GXA	GX-324A	\$3,510.00	20%	\$2,808.00
GXA	GX-124AE	\$3,720.00	20%	\$2,976.00
GXA	GX-224AE	\$3,920.00	20%	\$3,136.00
GXA	GX-324AE	\$4,125.00	20%	\$3,300.00
GXA	GX-203A	\$4,575.00	20%	\$3,660.00
GXA	GX-303A	\$4,780.00	20%	\$3,824.00
GXA	GX-403A	\$4,770.00	20%	\$3,816.00
GXA	GX-603A	\$4,980.00	20%	\$3,984.00
GXA	GX-1003A	\$5,125.00	20%	\$4,100.00
GXA	GX-1603A	\$5,330.00	20%	\$4,264.00

Product Line	Model Number	2025 List Price	MAP % off List	2025 MAP Price
GXA	GX-2002A	\$1,910.00	20%	\$1,528.00
GXA	GX-3002A	\$2,175.00	20%	\$1,740.00
GXA	GX-4002A	\$2,305.00	20%	\$1,844.00
GXA	GX-6002A	\$3,010.00	20%	\$2,408.00
GXA	GX-10002A	\$3,470.00	20%	\$2,776.00
GXA	GX-6001A	\$3,945.00	20%	\$3,156.00
GXA	GX-10001A	\$2,175.00	20%	\$1,740.00
GXA	GX-203AWP	\$2,585.00	20%	\$2,068.00
GXA	GX-403AWP	\$2,705.00	20%	\$2,164.00
GXA	GX-603AWP	\$3,170.00	20%	\$2,536.00
GXA	GX-2002AWP	\$4,260.00	20%	\$3,408.00
GXA	GX-4002AWP	\$2,410.00	20%	\$1,928.00
GXA	GX-6002AWP	\$2,375.00	20%	\$1,900.00
GXA	GX-6001AWP	\$2,305.00	20%	\$1,844.00
GX-AN	GX-124AN	\$3,365.00	20%	\$2,692.00
GX-AN	GX-224AN	\$3,720.00	20%	\$2,976.00
GX-AN	GX-324AN	\$4,125.00	20%	\$3,300.00
GX-AN	GX-124AEN	\$4,780.00	20%	\$3,824.00
GX-AN	GX-224AEN	\$4,980.00	20%	\$3,984.00
GX-AN	GX-324AEN	\$5,330.00	20%	\$4,264.00
GX-AN	GX-203AN	\$1,960.00	20%	\$1,568.00
GX-AN	GX-303AN	\$2,225.00	20%	\$1,780.00
GX-AN	GX-403AN	\$2,360.00	20%	\$1,888.00
GX-AN	GX-603AN	\$3,060.00	20%	\$2,448.00
GX-AN	GX-2002AN	\$2,225.00	20%	\$1,780.00
GX-AN	GX-3002AN	\$2,635.00	20%	\$2,108.00
GX-AN	GX-4002AN	\$2,755.00	20%	\$2,204.00
GX-AN	GX-6002AN	\$3,225.00	20%	\$2,580.00
GX-AN	GX-10001AN	\$2,425.00	20%	\$1,940.00
GX-L	GX-12001L	\$4,010.00	20%	\$3,208.00
GX-L	GX-22001L	\$4,420.00	20%	\$3,536.00
GX-L	GX-32001L	\$5,250.00	20%	\$4,200.00
GX-L	GX-32001LS	\$5,620.00	20%	\$4,496.00
GX-L	GX-32001LD	\$3,655.00	20%	\$2,924.00
GX-L	GX-32001LDS	\$4,080.00	20%	\$3,264.00
GX-L	GX-42001L	\$4,875.00	20%	\$3,900.00
GX-L	GX-62001L	\$6,875.00	20%	\$5,500.00
GX-L	GX-62001LS	\$6,685.00	20%	\$5,348.00
GX-L	GX-62000L	\$5,995.00	20%	\$4,796.00
GX-L	GX-62000LS	\$6,255.00	20%	\$5,004.00
GX-L	GX-102000L	\$6,310.00	20%	\$5,048.00
GX-L	GX-102000LS	\$6,805.00	20%	\$5,444.00
HRA	HR-100A	\$1,995.00	25%	\$1,496.25
HRA	HR-150A	\$2,220.00	25%	\$1,665.00
HRA	HR-250A	\$2,425.00	25%	\$1,818.75

Product Line	Model Number	2025 List Price	MAP % off List	2025 MAP Price
HRZ	HR-100AZ	\$2,485.00	25%	\$1,863.75
HRZ	HR-150AZ	\$2,715.00	25%	\$2,036.25
HRZ	HR-250AZ	\$2,880.00	25%	\$2,160.00
HW-CEP	HW-10KCEP	\$2,470.00	20%	\$1,976.00
HW-CEP	HW-60KCEP	\$2,780.00	20%	\$2,224.00
HW-CEP	HW-100KCEP	\$3,215.00	20%	\$2,572.00
HW-CEP	HW-200KCEP	\$3,460.00	20%	\$2,768.00
MC	MC-1000S	\$7,495.00	20%	\$5,996.00
MC	MC-100KS	\$8,980.00	20%	\$7,184.00
MC	MC-10KS	\$8,980.00	20%	\$7,184.00
MC	MC-30KS	\$8,980.00	20%	\$7,184.00
MC	MC-6100S	\$7,500.00	20%	\$6,000.00
MOIS	MF-50	\$3,285.00	25%	\$2,463.75
MOIS	ML-50	\$2,755.00	25%	\$2,066.25
MOIS	MS-70	\$6,540.00	25%	\$4,905.00
MOIS	MX-50	\$4,070.00	25%	\$3,052.50
FG	FG-30KBMN	\$730.00	25%	\$547.50
FG	FG-60KBMN	\$740.00	25%	\$555.00
FG	FG-150KBMN	\$795.00	25%	\$596.25
FG	FG-30KAMN	\$760.00	25%	\$570.00
FG	FG-60KAMN	\$775.00	25%	\$581.25
FG	FG-150KAMN	\$885.00	25%	\$663.75
FG	FG-60KALN	\$865.00	25%	\$648.75
FG	FG-150KALN	\$950.00	25%	\$712.50
FG	FG-200KALN	\$1,010.00	25%	\$757.50
FG	FG-30KBM	\$730.00	25%	\$547.50
FG	FG-60KBM	\$740.00	25%	\$555.00
FG	FG-150KBM	\$795.00	25%	\$596.25
FG	FG-30KAM	\$760.00	25%	\$570.00
FG	FG-60KAM	\$775.00	25%	\$581.25
FG	FG-150KAM	\$885.00	25%	\$663.75
FG	FG-60KAL	\$865.00	25%	\$648.75
FG	FG-150KAL	\$950.00	25%	\$712.50
FG	FG-200KAL	\$1,010.00	25%	\$757.50
FG-CWP	FG-30KCMWP	\$1,715.00	25%	\$1,286.25
FG-CWP	FG-60KCLWP	\$1,750.00	25%	\$1,312.50
FG-CWP	FG-150KCLWP	\$2,090.00	25%	\$1,567.50
FG-CWP	FG-30KACMWP	\$1,750.00	25%	\$1,312.50
FG-CWP	FG-60KACLWP	\$1,790.00	25%	\$1,342.50
FG-CWP	FG-150KACLWP	\$1,945.00	25%	\$1,458.75
PWS	AD-4212A-01	\$635.00	10%	\$571.50
PWS	AD-4212A-100	\$6,370.00	10%	\$5,733.00
PWS	AD-4212A-1000	\$6,405.00	10%	\$5,764.50
PWS	AD-4212A-200	\$5,600.00	10%	\$5,040.00
PWS	AD-4212A-600	\$6,180.00	10%	\$5,562.00

Product Line	Model Number	2025 List Price	MAP % off List	2025 MAP Price
PWS	AD-4212B-101	\$9,375.00	10%	\$8,437.50
PWS	AD-4212B-102	\$9,840.00	10%	\$8,856.00
PWS	AD-4212B-201	\$7,535.00	10%	\$6,781.50
PWS	AD-4212B-23	\$15,060.00	10%	\$13,554.00
PWS	AD-4212B-301	\$8,140.00	10%	\$7,326.00
PWS	AD-4212C-300	\$4,500.00	10%	\$4,050.00
PWS	AD-4212C-3000	\$4,500.00	10%	\$4,050.00
PWS	AD-4212C-301	\$6,790.00	10%	\$6,111.00
PWS	AD-4212C-3100	\$6,790.00	10%	\$6,111.00
PWS	AD-4212C-600	\$6,790.00	10%	\$6,111.00
PWS	AD-4212C-6000	\$6,790.00	10%	\$6,111.00
VISC	RV-10000A	\$20,625.00	20%	\$16,500.00
VISC	SV-10	\$4,200.00	20%	\$3,360.00
VISC	SV-100	\$4,200.00	20%	\$3,360.00
VISC	SV-100A	\$6,835.00	20%	\$5,468.00
VISC	SV-10A	\$6,835.00	20%	\$5,468.00
VISC	SV-1A	\$7,865.00	20%	\$6,292.00

MAP pricing applies to US and Canada until Dec 31, 2025. Subject to change without notice.
Violations enforced from mapadmin@andonline.com



Laboratory Weighing



Industrial Weighing



Product Inspection



Test and Measurement



Weigh Cell Modules



AND
Discover Precision

andweighing.com | andinspection.com

4622 Runway Boulevard, Ann Arbor, MI 48108
888-726-5931 or 408-263-5333

2025 Price List. Prices are subject to change without notice.